

Synergetic LLC
306 Office 6/1, Nizhne-Volzhsкая Naberezhnaya
603001 Nizhny Novgorod
Russian federation

Muenster, 01.02.2022

Certificate for the Cosmetic product

SYNERGETIC Natural Hand and Body Cream — Caramel Apple and Vanilla

Dermatological test on humans in 2022

Study number: 2112226107

The dermatological test performed by us on your product under the control of dermatological specialists was passed for this product with the rating of

„excellent“

This product did not lead to toxic-irritative intolerance reactions in patch testing with sensitive skin carried out in accordance with international guidelines. The preparation can therefore be declared as dermatologically tested.


Dr. med. Gerrit Schlippe
Investigating specialist
for dermatology, venereology




Dr. med. Werner Voss
Investigating specialist
for dermatology, allergology,
venerology, phlebology
and environmental medicine



Synergetic LLC
306 Office 6/1, Nizhne-Volzhskaya Naberezhnaya
603001 Nizhny Novgorod
Russian federation

Muenster, 01.02.2022

Certificate

for the Cosmetic product

SYNERGETIC Natural Hand and Body Cream — Patchouli and Scented Bergamot

Dermatological test on humans in 2022

Study number: 2112226107

The dermatological test performed by us on your product under the control of dermatological specialists was passed for this product with the rating of

„excellent“

This product did not lead to toxic-irritative intolerance reactions in patch testing with sensitive skin carried out in accordance with international guidelines. The preparation can therefore be declared as dermatologically tested.


Dr. med. Gerrit Schlippe
Investigating specialist
for dermatology, venereology




Dr. med. Werner Voss
Investigating specialist
for dermatology, allergology,
venerology, phlebology
and environmental medicine



Synergetic LLC
306 Office 6/1, Nizhne-Volzhskaya Naberezhnaya
603001 Nizhny Novgorod
Russian federation

Muenster, 01.02.2022

Certificate for the Cosmetic product

SYNERGETIC Natural Hand and Body Cream — Sandalwood and Juniper Berries

Dermatological test on humans in 2022

Study number: 2112226107

The dermatological test performed by us on your product under the control of dermatological specialists was passed for this product with the rating of

„excellent“

This product did not lead to toxic-irritative intolerance reactions in patch testing with sensitive skin carried out in accordance with international guidelines. The preparation can therefore be declared as dermatologically tested.


Dr. med. Gerrit Schlippe
Investigating specialist
for dermatology, venereology




Dr. med. Werner Voss
Investigating specialist
for dermatology, allergology,
venerology, phlebology
and environmental medicine



Sponsor

SYNERGETIC LLC
306 Office 6/1, Nizhne-Volzhskaya Naberezhnaya
603001 Nizhny Novgorod
Russian Federation

Münster, 12.09.2023

Certificate

Dermatest GmbH confirms hereby that the Cosmetic product

SYNERGETIC Natural Hand and Body Cream Coconut and Macadamia Oil

was evaluated for skin tolerability by means of epicutaneous testing on 30 subjects with sensitive skin under the control of dermatological specialists and according to international guidelines.

Study number 2308213575

No relevant skin reactions were detected in the test area following a single product application.

Therefore, from a clinical-dermatological point of view, the product was tolerated

„excellently“

and can be declared as **„dermatologically tested“**.

Based on the study design and the confirmed skin tolerability, the Dermatest® guaranty seal can be assigned for use for the test product.

The seal contains the month and year (09/23) of the testing



Dr. med. Werner Voss

Medical Specialist in Dermatology,
Venereology, Allergology, Phlebology
and Environmental Medicine



Dermatest® GmbH • [dermatest.com](https://www.dermatest.com)
Nevinghoff 30 • 48147 Münster

Sponsor

SYNERGETIC LLC
306 Office 6/1, Nizhne-Volzhskaya Naberezhnaya
603001 Nizhny Novgorod
Russian Federation

Münster, 12.09.2023

Certificate

Dermatest GmbH confirms hereby that the Cosmetic product

SYNERGETIC Natural Hand and Body Cream Sicilian Lemon and Vetiver

was evaluated for skin tolerability by means of epicutaneous testing on 30 subjects with sensitive skin under the control of dermatological specialists and according to international guidelines.

Study number 2308213575

No relevant skin reactions were detected in the test area following a single product application.

Therefore, from a clinical-dermatological point of view, the product was tolerated

„excellently“

and can be declared as **„dermatologically tested“**.

Based on the study design and the confirmed skin tolerability, the Dermatest® guaranty seal can be assigned for use for the test product.

The seal contains the month and year (09/23) of the testing



Dr. med. Werner Voss

Medical Specialist in Dermatology,
Venereology, Allergology, Phlebology
and Environmental Medicine



Dermatest® GmbH • [dermatest.com](https://www.dermatest.com)
Nevinghoff 30 • 48147 Münster

Sponsor

SYNERGETIC LLC
306 Office 6/1, Nizhne-Volzhskaya Naberezhnaya
603001 Nizhny Novgorod
Russian Federation

Münster, 14.02.2023

Certificate

Dermatest GmbH certifies hereby that the Cosmetic product

SYNERGETIC Natural anti-cellulite body cream with warming effect

was evaluated for skin tolerability by means of epicutaneous testing on 30 subjects with sensitive skin under the control of dermatological specialists and according to international guidelines.

Study number 2211288205

No relevant skin reactions were detected in the test area following a single product application.

Therefore, from a clinical-dermatological point of view, the product was tolerated

„excellently“

and can be declared as **„dermatologically tested“**.

Based on the study design and the confirmed skin tolerability, the Dermatest® guaranty seal can be assigned for use for the test product.


The seal contains the month and year (02/23) of the testing



Dr. med. Gerrit Schlippe
Medical Specialist in
Dermatology and Venereology



dermatest®
Dermatest® GmbH • [dermatest.com](https://www.dermatest.com)
Nevinghoff 30 • 48147 Münster



Dr. med. Werner Voss
Medical Specialist in Dermatology,
Venereology, Allergology,
Phlebology and Environmental Medicine

Sponsor

SYNERGETIC LLC
306 Office 6/1, Nizhne-Volzhskaya Naberezhnaya
603001 Nizhny Novgorod
Russian Federation

Münster, 14.02.2023

Certificate

Dermatest GmbH certifies hereby that the Cosmetic product

SYNERGETIC Natural anti-cellulite cream for body elasticity

was evaluated for skin tolerability by means of epicutaneous testing on 30 subjects with sensitive skin under the control of dermatological specialists and according to international guidelines.

Study number 2211288205

In less than 10 % of the subjects, mild transient skin reactions were detected in the test area following a single product application.

Therefore, from a clinical-dermatological point of view, the product was tolerated

„excellently“

and can be declared as **„dermatologically tested“**.

Based on the study design and the confirmed skin tolerability, the Dermatest® guaranty seal can be assigned for use for the test product.


The seal contains the month and year (02/23) of the testing



Dr. med. Gerrit Schlippe
Medical Specialist in
Dermatology and Venereology



dermatest®
Dermatest® GmbH • dermatest.com
Nevinghoff 30 • 48147 Münster



Dr. med. Werner Voss
Medical Specialist in Dermatology,
Venereology, Allergology,
Phlebology and Environmental Medicine

Sponsor

SYNERGETIC LLC
306 Office 6/1, Nizhne-Volzhskaya Naberezhnaya
603001 Nizhny Novgorod
Russian Federation

Münster, 14.02.2023

Certificate

Dermatest GmbH certifies hereby that the Cosmetic product

SYNERGETIC Natural moisturizing body lifting cream

was evaluated for skin tolerability by means of epicutaneous testing on 30 subjects with sensitive skin under the control of dermatological specialists and according to international guidelines.

Study number 2211288205

No relevant skin reactions were detected in the test area following a single product application.

Therefore, from a clinical-dermatological point of view, the product was tolerated

„excellently“

and can be declared as **„dermatologically tested“**.

Based on the study design and the confirmed skin tolerability, the Dermatest® guaranty seal can be assigned for use for the test product.


The seal contains the month and year (02/23) of the testing



Dr. med. Gerrit Schlippe
Medical Specialist in
Dermatology and Venereology



dermatest®
Dermatest® GmbH • dermatest.com
Nevinghoff 30 • 48147 Münster



Dr. med. Werner Voss
Medical Specialist in Dermatology,
Venereology, Allergology,
Phlebology and Environmental Medicine

Sponsor

SYNERGETIC LLC
306 Office 6/1, Nizhne-Volzhskaya Naberezhnaya
603001 Nizhny Novgorod
Russian Federation

Münster, 14.02.2023

Certificate

Dermatest GmbH certifies hereby that the Cosmetic product

SYNERGETIC Natural ultra-nourishing cream for body elasticity

was evaluated for skin tolerability by means of epicutaneous testing on 30 subjects with sensitive skin under the control of dermatological specialists and according to international guidelines.

Study number 2211288205

No relevant skin reactions were detected in the test area following a single product application.

Therefore, from a clinical-dermatological point of view, the product was tolerated

„excellently“

and can be declared as **„dermatologically tested“**.

Based on the study design and the confirmed skin tolerability, the Dermatest® guaranty seal can be assigned for use for the test product.


The seal contains the month and year (02/23) of the testing



Dr. med. Gerrit Schlippe
Medical Specialist in
Dermatology and Venereology



dermatest®
Dermatest® GmbH • [dermatest.com](https://www.dermatest.com)
Nevinghoff 30 • 48147 Münster



Dr. med. Werner Voss
Medical Specialist in Dermatology,
Venereology, Allergology,
Phlebology and Environmental Medicine

Dermatest[®] GmbH Engelstr. 37 48143 Münster

SYNERGETIC LLC
306 Office 6/1, Nizhne-Volzhskaya Naberezhnaya
603001 Nizhny Novgorod
Russian Federation

Muenster, 25.10.2022

Certificate

for the Cosmetic product

SYNERGETIC Natural Foot Cream Softening for Dry and Cracked Skin

Dermatological test on humans in 2022

Study number: 2209191615

The dermatological test performed by us on your product under the control of dermatological specialists was passed for this product with the rating of

„excellent“

This product did not lead to toxic-irritative intolerance reactions in patch testing with sensitive skin carried out in accordance with international guidelines. The preparation can therefore be declared as dermatologically tested.


Dr. med. Gerrit Schlippe
Investigating specialist
for dermatology, venereology




Dr. med. Werner Voss
Investigating specialist
for dermatology, allergology,
venerology, phlebology
and environmental medicine



Dermatest[®] GmbH Engelstr. 37 48143 Münster

SYNERGETIC LLC
306 Office 6/1, Nizhne-Volzhskaya Naberezhnaya
603001 Nizhny Novgorod
Russian Federation

Muenster, 25.10.2022

Certificate

for the Cosmetic product

SYNERGETIC Natural Foot Cream SPA

Refreshing and Toning

Dermatological test on humans in 2022

Study number: 2209191615


The dermatological test performed by us on your product under the control of dermatological specialists was passed for this product with the rating of

„excellent“

This product did not lead to toxic-irritative intolerance reactions in patch testing with sensitive skin carried out in accordance with international guidelines. The preparation can therefore be declared as dermatologically tested.


Dr. med. Gerrit Schlippe
Investigating specialist
for dermatology, venereology




Dr. med. Werner Voss
Investigating specialist
for dermatology, allergology,
venerology, phlebology
and environmental medicine



Dermatest[®] GmbH Engelstr. 37 48143 Münster

SYNERGETIC LLC
306 Office 6/1, Nizhne-Volzhskaya Naberezhnaya
603001 Nizhny Novgorod
Russian Federation

Muenster, 25.10.2022

Certificate

for the Cosmetic product

SYNERGETIC Natural Hand & Nail Cream Nourishing

Dermatological test on humans in 2022

Study number: 2209191615


The dermatological test performed by us on your product under the control of dermatological specialists was passed for this product with the rating of

„excellent“

This product did not lead to toxic-irritative intolerance reactions in patch testing with sensitive skin carried out in accordance with international guidelines. The preparation can therefore be declared as dermatologically tested.


Dr. med. Gerrit Schlippe
Investigating specialist
for dermatology, venereology




Dr. med. Werner Voss
Investigating specialist
for dermatology, allergology,
venerology, phlebology
and environmental medicine



Dermatest[®] GmbH Engelstr. 37 48143 Münster

SYNERGETIC LLC
306 Office 6/1, Nizhne-Volzhskaya Naberezhnaya
603001 Nizhny Novgorod
Russian Federation

Muenster, 25.10.2022

Certificate

for the Cosmetic product

SYNERGETIC Natural Hand Cream Moisturizing

Dermatological test on humans in 2022

Study number: 2209191615


The dermatological test performed by us on your product under the control of dermatological specialists was passed for this product with the rating of

„excellent“

This product did not lead to toxic-irritative intolerance reactions in patch testing with sensitive skin carried out in accordance with international guidelines. The preparation can therefore be declared as dermatologically tested.


Dr. med. Gerrit Schlippe
Investigating specialist
for dermatology, venereology




Dr. med. Werner Voss
Investigating specialist
for dermatology, allergology,
venerology, phlebology
and environmental medicine



Dermatest® GmbH Engelstr. 37 48143 Münster

SYNERGETIC LLC
306 Office 6/1, Nizhne-Volzhskaya Naberezhnaya
603001 Nizhny Novgorod
Russian Federation

Muenster, 25.10.2022

Certificate

for the Cosmetic product

SYNERGETIC Natural Hand Cream Protectant

Dermatological test on humans in 2022

Study number: 2209191615

The dermatological test performed by us on your product under the control of dermatological specialists was passed for this product with the rating of

„excellent“

This product did not lead to toxic-irritative intolerance reactions in patch testing with sensitive skin carried out in accordance with international guidelines. The preparation can therefore be declared as dermatologically tested.


Dr. med. Gerrit Schlippe
Investigating specialist
for dermatology, venereology




Dr. med. Werner Voss
Investigating specialist
for dermatology, allergology,
venerology, phlebology
and environmental medicine



Dermatest[®] GmbH Engelstr. 37 48143 Münster

SYNERGETIC LLC
306 Office 6/1, Nizhne-Volzhskaya Naberezhnaya
603001 Nizhny Novgorod
Russian Federation

Muenster, 25.10.2022

Certificate

for the Cosmetic product

SYNERGETIC Natural Hand Cream-Balm SOS Recovery and Moisturizing

Dermatological test on humans in 2022

Study number: 2209191615


The dermatological test performed by us on your product under the control of dermatological specialists was passed for this product with the rating of

„excellent“

This product did not lead to toxic-irritative intolerance reactions in patch testing with sensitive skin carried out in accordance with international guidelines. The preparation can therefore be declared as dermatologically tested.


Dr. med. Gerrit Schlippe
Investigating specialist
for dermatology, venereology




Dr. med. Werner Voss
Investigating specialist
for dermatology, allergology,
venerology, phlebology
and environmental medicine



Dermatest[®] GmbH Engelstr. 37 48143 Münster

Synergetic LLC
306 Office 6/1, Nizhne-Volzhskaya Naberezhnaya
603001 Nizhny Novgorod
Russian federation

Muenster, 21.12.2021

Certificate

for the Cosmetic product

SYNERGETIC Natural Deodorant, Bergamot and Green Lime

Dermatological test on humans in 2021

Study number: 2111181349

The dermatological test performed by us on your product under the control of dermatological specialists was passed for this product with the rating of

„excellent“

This product did not lead to toxic-irritative intolerance reactions in patch testing on sensitive skin carried out in accordance with international guidelines. The preparation can therefore be declared as dermatologically tested.


Dr. med. Gerrit Schlippe
Investigating specialist
for dermatology, venereology




Dr. med. Werner Voss
Investigating specialist
for dermatology, allergology,
venereology, phlebology
and environmental medicine



Dermatest[®] GmbH Engelstr. 37 48143 Münster

Synergetic LLC
306 Office 6/1, Nizhne-Volzhskaya Naberezhnaya
603001 Nizhny Novgorod
Russian federation

Muenster, 21.12.2021

Certificate

for the Cosmetic product

SYNERGETIC Natural Deodorant, Lemongrass and Eucalyptus

Dermatological test on humans in 2021

Study number: 2111181349

The dermatological test performed by us on your product under the control of dermatological specialists was passed for this product with the rating of

„excellent“

This product did not lead to toxic-irritative intolerance reactions in patch testing on sensitive skin carried out in accordance with international guidelines. The preparation can therefore be declared as dermatologically tested.


Dr. med. Gerrit Schlippe
Investigating specialist
for dermatology, venereology




Dr. med. Werner Voss
Investigating specialist
for dermatology, allergology,
venereology, phlebology
and environmental medicine



Dermatest[®] GmbH Engelstr. 37 48143 Münster

Synergetic LLC
306 Office 6/1, Nizhne-Volzhskaya Naberezhnaya
603001 Nizhny Novgorod
Russian federation

Muenster, 21.12.2021

Certificate

for the Cosmetic product

SYNERGETIC Natural Deodorant, Unscented

Dermatological test on humans in 2021

Study number: 2111181349

The dermatological test performed by us on your product under the control of dermatological specialists was passed for this product with the rating of

„excellent“

With the tested preparation less than 10% of the test persons showed very mild transient reactions in the epicutaneous test performed with subjects having sensitive skin according to international guidelines. For all other subjects this product did not lead to any toxic- irritative intolerance reactions.

Sporadic, mild reactions in the epicutaneous test are normal in a test group and must be seen in the context of the test conditions in contrast to the intended use. Thus the product is not restricted in the evaluation "dermatologically tested".


Dr. med. Gerrit Schlippe
Investigating specialist
for dermatology, venereology




Dr. med. Werner Voss
Investigating Specialist
for dermatology, allergology,
venereology, phlebology
and environmental medicine



Dermatest® GmbH Engelstr. 37 48143 Münster

Synergetic LLC
306 Office 6/1, Nizhne-Volzhskaya Naberezhnaya
603001 Nizhny Novgorod
Russian federation

Muenster, 21.12.2021

Certificate

for the Cosmetic product

SYNERGETIC Natural Deodorant, Lemon Cedar

Dermatological test on humans in 2021

Study number: 2111181349

The dermatological test performed by us on your product under the control of dermatological specialists was passed for this product with the rating of

„excellent“

This product did not lead to toxic-irritative intolerance reactions in patch testing on sensitive skin carried out in accordance with international guidelines. The preparation can therefore be declared as dermatologically tested.


Dr. med. Gerrit Schlippe
Investigating specialist
for dermatology, venereology




Dr. med. Werner Voss
Investigating specialist
for dermatology, allergology,
venereology, phlebology
and environmental medicine

