

Sponsor

SYNERGETIC LLC  
306 Office 6/1, Nizhne-Volzhskaya Naberezhnaya  
603001 Nizhny Novgorod  
Russian Federation

Münster, 25.04.2023

## Certificate

Dermatest GmbH confirms hereby that the Cosmetic product

### **SYNERGETIC Natural Cleansing face mask**

was evaluated for skin tolerability by means of epicutaneous testing on 30 subjects with sensitive skin under the control of dermatological specialists and according to international guidelines.

**Study number 2303219183**

No relevant skin reactions were detected in the test area following a single product application.

Therefore, from a clinical-dermatological point of view, the product was tolerated

**„excellently“**

and can be declared as **„dermatologically tested“**.

Based on the study design and the confirmed skin tolerability, the Dermatest® guaranty seal can be assigned for use for the test product.


The seal contains the month and year (04/23) of the testing



**Dr. med. Gerrit Schlippe**  
Medical Specialist in  
Dermatology and Venereology



**dermatest®**  
Dermatest® GmbH • [dermatest.com](http://dermatest.com)  
Nevinghoff 30 • 48147 Münster



**Dr. med. Werner Voss**  
Medical Specialist in Dermatology,  
Venereology, Allergology,  
Phlebology and Environmental Medicine

Sponsor

SYNERGETIC LLC  
306 Office 6/1, Nizhne-Volzhskaya Naberezhnaya  
603001 Nizhny Novgorod  
Russian Federation

Münster, 25.04.2023

## Certificate

Dermatest GmbH confirms hereby that the Cosmetic product

### **SYNERGETIC Natural Facial cleansing milk**

was evaluated for skin tolerability by means of epicutaneous testing on 30 subjects with sensitive skin under the control of dermatological specialists and according to international guidelines.

**Study number 2303219183**

No relevant skin reactions were detected in the test area following a single product application.

Therefore, from a clinical-dermatological point of view, the product was tolerated

**„excellently“**

and can be declared as **„dermatologically tested“**.

Based on the study design and the confirmed skin tolerability, the Dermatest® guaranty seal can be assigned for use for the test product.


The seal contains the month and year (04/23) of the testing



**Dr. med. Gerrit Schlippe**  
Medical Specialist in  
Dermatology and Venereology



**dermatest®**  
Dermatest® GmbH • [dermatest.com](http://dermatest.com)  
Nevinghoff 30 • 48147 Münster



**Dr. med. Werner Voss**  
Medical Specialist in Dermatology,  
Venereology, Allergology,  
Phlebology and Environmental Medicine

Sponsor

SYNERGETIC LLC  
306 Office 6/1, Nizhne-Volzhskaya Naberezhnaya  
603001 Nizhny Novgorod  
Russian Federation

Münster, 25.04.2023

## Certificate

Dermatest GmbH confirms hereby that the Cosmetic product

### **SYNERGETIC Natural Mattifying cleansing foam**

was evaluated for skin tolerability by means of epicutaneous testing on 30 subjects with sensitive skin under the control of dermatological specialists and according to international guidelines.

**Study number 2303219183**

No relevant skin reactions were detected in the test area following a single product application.

Therefore, from a clinical-dermatological point of view, the product was tolerated

**„excellently“**

and can be declared as **„dermatologically tested“**.

Based on the study design and the confirmed skin tolerability, the Dermatest® guaranty seal can be assigned for use for the test product.


The seal contains the month and year (04/23) of the testing



**Dr. med. Gerrit Schlippe**  
Medical Specialist in  
Dermatology and Venereology



**dermatest®**  
Dermatest® GmbH • [dermatest.com](http://dermatest.com)  
Nevinghoff 30 • 48147 Münster



**Dr. med. Werner Voss**  
Medical Specialist in Dermatology,  
Venereology, Allergology,  
Phlebology and Environmental Medicine

Sponsor

SYNERGETIC LLC  
306 Office 6/1, Nizhne-Volzhskaya Naberezhnaya  
603001 Nizhny Novgorod  
Russian Federation

Münster, 25.04.2023

## Certificate

Dermatest GmbH confirms hereby that the Cosmetic product

### **SYNERGETIC Natural Mattifying cleansing gel**

was evaluated for skin tolerability by means of epicutaneous testing on 30 subjects with sensitive skin under the control of dermatological specialists and according to international guidelines.

**Study number 2303219183**

No relevant skin reactions were detected in the test area following a single product application.

Therefore, from a clinical-dermatological point of view, the product was tolerated

**„excellently“**

and can be declared as **„dermatologically tested“**.

Based on the study design and the confirmed skin tolerability, the Dermatest® guaranty seal can be assigned for use for the test product.


The seal contains the month and year (04/23) of the testing



**Dr. med. Gerrit Schlippe**  
Medical Specialist in  
Dermatology and Venereology



**dermatest®**  
Dermatest® GmbH • [dermatest.com](http://dermatest.com)  
Nevinghoff 30 • 48147 Münster



**Dr. med. Werner Voss**  
Medical Specialist in Dermatology,  
Venereology, Allergology,  
Phlebology and Environmental Medicine

Sponsor

SYNERGETIC LLC  
306 Office 6/1, Nizhne-Volzhskaya Naberezhnaya  
603001 Nizhny Novgorod  
Russian Federation

Münster, 25.04.2023

## Certificate

Dermatest GmbH confirms hereby that the Cosmetic product

### **SYNERGETIC Natural Mattifying facial tonic**

was evaluated for skin tolerability by means of epicutaneous testing on 30 subjects with sensitive skin under the control of dermatological specialists and according to international guidelines.

**Study number 2303219183**

No relevant skin reactions were detected in the test area following a single product application.

Therefore, from a clinical-dermatological point of view, the product was tolerated

**„excellently“**

and can be declared as **„dermatologically tested“**.

Based on the study design and the confirmed skin tolerability, the Dermatest® guaranty seal can be assigned for use for the test product.


The seal contains the month and year (04/23) of the testing



**Dr. med. Gerrit Schlippe**  
Medical Specialist in  
Dermatology and Venereology



**dermatest®**  
Dermatest® GmbH • [dermatest.com](http://dermatest.com)  
Nevinghoff 30 • 48147 Münster



**Dr. med. Werner Voss**  
Medical Specialist in Dermatology,  
Venereology, Allergology,  
Phlebology and Environmental Medicine

Sponsor

SYNERGETIC LLC  
306 Office 6/1, Nizhne-Volzhskaya Naberezhnaya  
603001 Nizhny Novgorod  
Russian Federation

Münster, 25.04.2023

## Certificate

Dermatest GmbH confirms hereby that the Cosmetic product

### **SYNERGETIC Natural Micellar water**

was evaluated for skin tolerability by means of epicutaneous testing on 30 subjects with sensitive skin under the control of dermatological specialists and according to international guidelines.

**Study number 2303219183**

No relevant skin reactions were detected in the test area following a single product application.

Therefore, from a clinical-dermatological point of view, the product was tolerated

**„excellently“**

and can be declared as **„dermatologically tested“**.

Based on the study design and the confirmed skin tolerability, the Dermatest® guaranty seal can be assigned for use for the test product.


The seal contains the month and year (04/23) of the testing



**Dr. med. Gerrit Schlippe**  
Medical Specialist in  
Dermatology and Venereology



**dermatest®**  
Dermatest® GmbH • [dermatest.com](http://dermatest.com)  
Nevinghoff 30 • 48147 Münster



**Dr. med. Werner Voss**  
Medical Specialist in Dermatology,  
Venereology, Allergology,  
Phlebology and Environmental Medicine

Sponsor

SYNERGETIC LLC  
306 Office 6/1, Nizhne-Volzhskaya Naberezhnaya  
603001 Nizhny Novgorod  
Russian Federation

Münster, 25.04.2023

## Certificate

Dermatest GmbH confirms hereby that the Cosmetic product

### **SYNERGETIC Natural Moisturizing cleansing foam**

was evaluated for skin tolerability by means of epicutaneous testing on 30 subjects with sensitive skin under the control of dermatological specialists and according to international guidelines.

**Study number 2303219183**

No relevant skin reactions were detected in the test area following a single product application.

Therefore, from a clinical-dermatological point of view, the product was tolerated

**„excellently“**

and can be declared as **„dermatologically tested“**.

Based on the study design and the confirmed skin tolerability, the Dermatest® guaranty seal can be assigned for use for the test product.


The seal contains the month and year (04/23) of the testing



**Dr. med. Gerrit Schlippe**  
Medical Specialist in  
Dermatology and Venereology



**dermatest®**  
Dermatest® GmbH • [dermatest.com](http://dermatest.com)  
Nevinghoff 30 • 48147 Münster



**Dr. med. Werner Voss**  
Medical Specialist in Dermatology,  
Venereology, Allergology,  
Phlebology and Environmental Medicine

Sponsor

SYNERGETIC LLC  
306 Office 6/1, Nizhne-Volzhskaya Naberezhnaya  
603001 Nizhny Novgorod  
Russian Federation

Münster, 25.04.2023

## Certificate

Dermatest GmbH confirms hereby that the Cosmetic product

### **SYNERGETIC Natural Moisturizing cleansing gel**

was evaluated for skin tolerability by means of epicutaneous testing on 30 subjects with sensitive skin under the control of dermatological specialists and according to international guidelines.

**Study number 2303219183**

No relevant skin reactions were detected in the test area following a single product application.

Therefore, from a clinical-dermatological point of view, the product was tolerated

**„excellently“**

and can be declared as **„dermatologically tested“**.

Based on the study design and the confirmed skin tolerability, the Dermatest® guaranty seal can be assigned for use for the test product.


The seal contains the month and year (04/23) of the testing



**Dr. med. Gerrit Schlippe**  
Medical Specialist in  
Dermatology and Venereology



**dermatest®**  
Dermatest® GmbH • [dermatest.com](http://dermatest.com)  
Nevinghoff 30 • 48147 Münster



**Dr. med. Werner Voss**  
Medical Specialist in Dermatology,  
Venereology, Allergology,  
Phlebology and Environmental Medicine



Sponsor

SYNERGETIC LLC  
306 Office 6/1, Nizhne-Volzhskaya Naberezhnaya  
603001 Nizhny Novgorod  
Russian Federation

Münster, 25.04.2023

## Certificate

Dermatest GmbH confirms hereby that the Cosmetic product

### **SYNERGETIC Natural Moisturizing facial tonic**

was evaluated for skin tolerability by means of epicutaneous testing on 30 subjects with sensitive skin under the control of dermatological specialists and according to international guidelines.

**Study number 2303219183**

No relevant skin reactions were detected in the test area following a single product application.

Therefore, from a clinical-dermatological point of view, the product was tolerated

**„excellently“**

and can be declared as **„dermatologically tested“**.

Based on the study design and the confirmed skin tolerability, the Dermatest® guaranty seal can be assigned for use for the test product.


The seal contains the month and year (04/23) of the testing



**Dr. med. Gerrit Schlippe**  
Medical Specialist in  
Dermatology and Venereology



**dermatest®**  
Dermatest® GmbH • [dermatest.com](http://dermatest.com)  
Nevinghoff 30 • 48147 Münster



**Dr. med. Werner Voss**  
Medical Specialist in Dermatology,  
Venereology, Allergology,  
Phlebology and Environmental Medicine

Sponsor

SYNERGETIC LLC  
306 Office 6/1, Nizhne-Volzhskaya Naberezhnaya  
603001 Nizhny Novgorod  
Russian Federation

Münster, 25.04.2023

## Certificate

Dermatest GmbH confirms hereby that the Cosmetic product

### **SYNERGETIC Natural Nourishing night face cream**

was evaluated for skin tolerability by means of epicutaneous testing on 30 subjects with sensitive skin under the control of dermatological specialists and according to international guidelines.

**Study number 2303219183**

No relevant skin reactions were detected in the test area following a single product application.

Therefore, from a clinical-dermatological point of view, the product was tolerated

**„excellently“**

and can be declared as **„dermatologically tested“**.

Based on the study design and the confirmed skin tolerability, the Dermatest® guaranty seal can be assigned for use for the test product.


The seal contains the month and year (04/23) of the testing



**Dr. med. Gerrit Schlippe**  
Medical Specialist in  
Dermatology and Venereology



**dermatest®**  
Dermatest® GmbH • [dermatest.com](http://dermatest.com)  
Nevinghoff 30 • 48147 Münster



**Dr. med. Werner Voss**  
Medical Specialist in Dermatology,  
Venereology, Allergology,  
Phlebology and Environmental Medicine

Sponsor

SYNERGETIC LLC  
306 Office 6/1, Nizhne-Volzhskaya Naberezhnaya  
603001 Nizhny Novgorod  
Russian Federation

Münster, 12.09.2023

## Certificate

Dermatest GmbH confirms hereby that the Cosmetic product

### SYNERGETIC Natural Eye Cream

was evaluated for skin tolerability by means of epicutaneous testing on 30 subjects with sensitive skin under the control of dermatological specialists and according to international guidelines.

**Study number 2308213575**

No relevant skin reactions were detected in the test area following a single product application.

Therefore, from a clinical-dermatological point of view, the product was tolerated

**„excellently“**

and can be declared as **„dermatologically tested“**.

Based on the study design and the confirmed skin tolerability, the Dermatest® guaranty seal can be assigned for use for the test product.

The seal contains the month and year (09/23) of the testing



Dr. med. Werner Voss

Medical Specialist in Dermatology,  
Venereology, Allergology, Phlebology  
and Environmental Medicine



Dermatest® GmbH • [dermatest.com](https://www.dermatest.com)  
Nevinghoff 30 • 48147 Münster

Sponsor

SYNERGETIC LLC  
306 Office 6/1, Nizhne-Volzhskaya Naberezhnaya  
603001 Nizhny Novgorod  
Russian Federation

Münster, 12.09.2023

## Certificate

Dermatest GmbH confirms hereby that the Cosmetic product

### **SYNERGETIC Natural Moisturizing Day Face Cream**

was evaluated for skin tolerability by means of epicutaneous testing on 30 subjects with sensitive skin under the control of dermatological specialists and according to international guidelines.

**Study number 2308213575**

No relevant skin reactions were detected in the test area following a single product application.

Therefore, from a clinical-dermatological point of view, the product was tolerated

**„excellently“**

and can be declared as **„dermatologically tested“**.

Based on the study design and the confirmed skin tolerability, the Dermatest® guaranty seal can be assigned for use for the test product.

The seal contains the month and year (09/23) of the testing



**Dr. med. Werner Voss**

Medical Specialist in Dermatology,  
Venereology, Allergology, Phlebology  
and Environmental Medicine



Dermatest® GmbH • [dermatest.com](https://www.dermatest.com)  
Nevinghoff 30 • 48147 Münster

Sponsor

SYNERGETIC LLC  
306 Office 6/1, Nizhne-Volzhskaya Naberezhnaya  
603001 Nizhny Novgorod  
Russian Federation

Münster, 12.09.2023

## Certificate

Dermatest GmbH confirms hereby that the Cosmetic product

### **SYNERGETIC Natural Moisturizing Face Serum**

was evaluated for skin tolerability by means of epicutaneous testing on 30 subjects with sensitive skin under the control of dermatological specialists and according to international guidelines.

**Study number 2308213575**

No relevant skin reactions were detected in the test area following a single product application.

Therefore, from a clinical-dermatological point of view, the product was tolerated

**„excellently“**

and can be declared as **„dermatologically tested“**.

Based on the study design and the confirmed skin tolerability, the Dermatest® guaranty seal can be assigned for use for the test product.

The seal contains the month and year (09/23) of the testing



**Dr. med. Werner Voss**

Medical Specialist in Dermatology,  
Venereology, Allergology, Phlebology  
and Environmental Medicine



Dermatest® GmbH • [dermatest.com](https://www.dermatest.com)  
Nevinghoff 30 • 48147 Münster

Sponsor

SYNERGETIC LLC  
306 Office 6/1, Nizhne-Volzhskaya Naberezhnaya  
603001 Nizhny Novgorod  
Russian Federation

Münster, 21.11.2023

## Certificate

Dermatest GmbH confirms hereby that the Cosmetic product

### **SYNERGETIC Natural Facial Glowing Mask**

was evaluated for skin tolerability by means of open epicutaneous testing on 30 subjects with sensitive skin under the control of dermatological specialists and according to international guidelines.

**Study number 2310170821**

No relevant skin reactions were detected in the test area following a single product application.


Therefore, from a clinical-dermatological point of view, the product was tolerated

**„excellently“**

and can be declared as **„dermatologically tested“**.

Based on the study design and the confirmed skin tolerability, the Dermatest® guaranty seal can be assigned for use for the test product.

The seal contains the month and year (11/23) of the testing.



**Dr. med. Werner Voss**

Medical Specialist in Dermatology,  
Venereology, Allergology, Phlebology  
and Environmental Medicine



Dermatest® GmbH • [dermatest.com](https://www.dermatest.com)  
Nevinghoff 30 • 48147 Münster

Sponsor

SYNERGETIC LLC  
306 Office 6/1, Nizhne-Volzhskaya Naberezhnaya  
603001 Nizhny Novgorod  
Russian Federation

Münster, 21.11.2023

## Certificate

Dermatest GmbH confirms hereby that the Cosmetic product

### **SYNERGETIC Natural Facial Mattifying Mask**

was evaluated for skin tolerability by means of open epicutaneous testing on 30 subjects with sensitive skin under the control of dermatological specialists and according to international guidelines.

**Study number 2310170821**

No relevant skin reactions were detected in the test area following a single product application.


Therefore, from a clinical-dermatological point of view, the product was tolerated

**„excellently“**

and can be declared as **„dermatologically tested“**.

Based on the study design and the confirmed skin tolerability, the Dermatest® guaranty seal can be assigned for use for the test product.

The seal contains the month and year (11/2023) of the testing.



**Dr. med. Werner Voss**

Medical Specialist in Dermatology,  
Venereology, Allergology, Phlebology  
and Environmental Medicine



Dermatest® GmbH • [dermatest.com](https://www.dermatest.com)  
Nevinghoff 30 • 48147 Münster

Sponsor

SYNERGETIC LLC  
306 Office 6/1, Nizhne-Volzhskaya Naberezhnaya  
603001 Nizhny Novgorod  
Russian Federation

Münster, 21.11.2023

## Certificate

Dermatest GmbH confirms hereby that the Cosmetic product

### **SYNERGETIC Natural Facial Moisturizing Mask**

was evaluated for skin tolerability by means of open epicutaneous testing on 30 subjects with sensitive skin under the control of dermatological specialists and according to international guidelines.

**Study number 2310170821**

No relevant skin reactions were detected in the test area following a single product application.


Therefore, from a clinical-dermatological point of view, the product was tolerated

**„excellently“**

and can be declared as **„dermatologically tested“**.

Based on the study design and the confirmed skin tolerability, the Dermatest® guaranty seal can be assigned for use for the test product.

The seal contains the month and year (11/23) of the testing.



**Dr. med. Werner Voss**

Medical Specialist in Dermatology,  
Venereology, Allergology, Phlebology  
and Environmental Medicine



Dermatest® GmbH • [dermatest.com](https://www.dermatest.com)  
Nevinghoff 30 • 48147 Münster