

Dermatest® GmbH Engelstr. 37 48143 Münster

Synergetic LLC
306 Office 6/1, Nizhne-Volzhskaya Naberezhnaya
603001 Nizhny Novgorod
Russian federation

Muenster, 17.08.2021

Certificate

for the Product

SYNERGETIC biodegradable concentrated laundry liquid, 3 in 1

Dermatological test on humans in 2021

Study number: 2107195620

The dermatological test performed by us on your product under the control of dermatological specialists was passed for this product with the rating of

„excellent“

This product did not lead to toxic-irritative intolerance reactions in patch testing on sensitive skin carried out in accordance with international guidelines. The preparation can therefore be declared as dermatologically tested.


Dr. med. Gerrit Schlippe
Investigating specialist
for dermatology, venereology




Dr. med. Werner Voss
Investigating specialist
for dermatology, allergology,
venereology, phlebology
and environmental medicine



Dermatest[®] GmbH Engelstr. 37 48143 Münster

Synergetic LLC
306 Office 6/1, Nizhne-Volzhskaya Naberezhnaya
603001 Nizhny Novgorod
Russian federation

Muenster, 17.08.2021

Certificate

for the Product

SYNERGETIC biodegradable concentrated laundry liquid, 3 in 1

Dermatological test on humans in 2021

Study number: 2107195620

The dermatological test performed by us on your product under the control of dermatological specialists was passed for this product with the rating of

„excellent“

This product did not lead to toxic-irritative intolerance reactions in patch testing on sensitive skin carried out in accordance with international guidelines. The preparation can therefore be declared as dermatologically tested.


Dr. med. Gerrit Schlippe
Investigating specialist
for dermatology, venereology




Dr. med. Werner Voss
Investigating specialist
for dermatology, allergology,
venereology, phlebology
and environmental medicine



Dermatest® GmbH Engelstr. 37 48143 Münster

Synergetic LLC
306 Office 6/1, Nizhne-Volzhskaya Naberezhnaya
603001 Nizhny Novgorod
Russian federation

Muenster, 17.08.2021

Certificate

for the Product

SYNERGETIC biodegradable concentrated laundry liquid, COLOR

Dermatological test on humans in 2021

Study number: 2107195620

The dermatological test performed by us on your product under the control of dermatological specialists was passed for this product with the rating of

„excellent“

This product did not lead to toxic-irritative intolerance reactions in patch testing on sensitive skin carried out in accordance with international guidelines. The preparation can therefore be declared as dermatologically tested.


Dr. med. Gerrit Schlippe
Investigating specialist
for dermatology, venereology




Dr. med. Werner Voss
Investigating specialist
for dermatology, allergology,
venereology, phlebology
and environmental medicine



Dermatest® GmbH Engelstr. 37 48143 Münster

Synergetic LLC
306 Office 6/1, Nizhne-Volzhskaya Naberezhnaya
603001 Nizhny Novgorod
Russian federation

Muenster, 17.08.2021

Certificate

for the Product

SYNERGETIC biodegradable concentrated laundry liquid, UNIVERSAL

Dermatological test on humans in 2021

Study number: 2107195620

The dermatological test performed by us on your product under the control of dermatological specialists was passed for this product with the rating of

„excellent“

This product did not lead to toxic-irritative intolerance reactions in patch testing on sensitive skin carried out in accordance with international guidelines. The preparation can therefore be declared as dermatologically tested.


Dr. med. Gerrit Schlippe
Investigating specialist
for dermatology, venereology




Dr. med. Werner Voss
Investigating specialist
for dermatology, allergology,
venereology, phlebology
and environmental medicine



Dermatest[®] GmbH Engelstr. 37 48143 Münster

Synergetic LLC
306 Office 6/1, Nizhne-Volzhskaya Naberezhnaya
603001 Nizhny Novgorod
Russian federation

Muenster, 17.08.2021

Certificate

for the Product

SYNERGETIC Biodegradable concentrated multifunctional hypoallergenic laundry liquid

Dermatological test on humans in 2021

Study number: 2107195620

The dermatological test performed by us on your product under the control of dermatological specialists was passed for this product with the rating of

„excellent“

This product did not lead to toxic-irritative intolerance reactions in patch testing on sensitive skin carried out in accordance with international guidelines. The preparation can therefore be declared as dermatologically tested.


Dr. med. Gerrit Schlippe
Investigating specialist
for dermatology, venereology




Dr. med. Werner Voss
Investigating specialist
for dermatology, allergology,
venereology, phlebology
and environmental medicine



Dermatest[®] GmbH Engelstr. 37 48143 Münster

Synergetic LLC
306 Office 6/1, Nizhne-Volzhskaya Naberezhnaya
603001 Nizhny Novgorod
Russian federation

Muenster, 07.12.2021

Certificate

for the Product

SYNERGETIC biodegradable concentrated laundry liquid, ACTIVE FRESH

Dermatological test on humans in 2021

Study number: 2111051698

The dermatological test performed by us on your product under the control of
dermatological specialists was passed for this product with the rating of

„excellent“

This product did not lead to toxic-irritative intolerance reactions in patch
testing on sensitive skin carried out in accordance with international
guidelines. The preparation can therefore be declared as
dermatologically tested.


Dr. med. Gerrit Schlippe
Investigating specialist
for dermatology, venereology




Dr. med. Werner Voss
Investigating Specialist
for dermatology, allergology,
venereology, phlebology
and environmental medicine



Dermatest® GmbH Engelstr. 37 48143 Münster

Synergetic LLC
306 Office 6/1, Nizhne-Volzhskaya Naberezhnaya
603001 Nizhny Novgorod
Russian federation

Muenster, 07.12.2021

Certificate for the Product

SYNERGETIC biodegradable concentrated laundry liquid, BLACK PROTECT

Dermatological test on humans in 2021

Study number: 2111051698

The dermatological test performed by us on your product under the control of
dermatological specialists was passed for this product with the rating of

„excellent“

This product did not lead to toxic-irritative intolerance reactions in patch
testing on sensitive skin carried out in accordance with international
guidelines. The preparation can therefore be declared as
dermatologically tested.


Dr. med. Gerrit Schlippe
Investigating specialist
for dermatology, venereology




Dr. med. Werner Voss
Investigating Specialist
for dermatology, allergology,
venereology, phlebology
and environmental medicine



Dermatest[®] GmbH Engelstr. 37 48143 Münster

Synergetic LLC
306 Office 6/1, Nizhne-Volzhskaya Naberezhnaya
603001 Nizhny Novgorod
Russian federation

Muenster, 07.12.2021

Certificate

for the Product

SYNERGETIC biodegradable concentrated laundry liquid, DELICATE

Dermatological test on humans in 2021

Study number: 2111051698


The dermatological test performed by us on your product under the control of
dermatological specialists was passed for this product with the rating of

„excellent“

This product did not lead to toxic-irritative intolerance reactions in patch
testing on sensitive skin carried out in accordance with international
guidelines. The preparation can therefore be declared as
dermatologically tested.


Dr. med. Gerrit Schlippe
Investigating specialist
for dermatology, venereology




Dr. med. Werner Voss
Investigating Specialist
for dermatology, allergology,
venereology, phlebology
and environmental medicine



Dermatest[®] GmbH Engelstr. 37 48143 Münster

Synergetic LLC
306 Office 6/1, Nizhne-Volzhskaya Naberezhnaya
603001 Nizhny Novgorod
Russian federation

Muenster, 07.12.2021

Certificate

for the Product

SYNERGETIC Biodegradable concentrated laundry liquid, PURE

Dermatological test on humans in 2021

Study number: 2111051698


The dermatological test performed by us on your product under the control of
dermatological specialists was passed for this product with the rating of

„excellent“

This product did not lead to toxic-irritative intolerance reactions in patch
testing on sensitive skin carried out in accordance with international
guidelines. The preparation can therefore be declared as
dermatologically tested.


Dr. med. Gerrit Schlippe
Investigating specialist
for dermatology, venereology




Dr. med. Werner Voss
Investigating Specialist
for dermatology, allergology,
venereology, phlebology
and environmental medicine



Dermatest® GmbH Engelstr. 37 48143 Münster

Synergetic LLC
306 Office 6/1, Nizhne-Volzhskaya Naberezhnaya
603001 Nizhny Novgorod
Russian federation

Muenster, 07.12.2021

Certificate for the Product

SYNERGETIC biodegradable concentrated laundry liquid, ULTRA WHITE

Dermatological test on humans in 2021

Study number: 2111051698

The dermatological test performed by us on your product under the control of
dermatological specialists was passed for this product with the rating of

„excellent“

This product did not lead to toxic-irritative intolerance reactions in patch
testing on sensitive skin carried out in accordance with international
guidelines. The preparation can therefore be declared as
dermatologically tested.


Dr. med. Gerrit Schlippe
Investigating specialist
for dermatology, venereology




Dr. med. Werner Voss
Investigating Specialist
for dermatology, allergology,
venereology, phlebology
and environmental medicine



Sponsor

SYNERGETIC LLC
306 Office 6/1, Nizhne-Volzhskaya Naberezhnaya
603001 Nizhny Novgorod
Russian Federation

Münster, 25.04.2023

Certificate

Dermatest GmbH confirms hereby that the Product

SYNERGETIC Biodegradable laundry liquid for baby clothes

was evaluated for skin tolerability by means of epicutaneous testing on 30 subjects with sensitive skin under the control of dermatological specialists and according to international guidelines.

Study number 2303219183

No relevant skin reactions were detected in the test area following a single product application.

Therefore, from a clinical-dermatological point of view, the product was tolerated

„excellently“

and can be declared as **„dermatologically tested“**.

Based on the study design and the confirmed skin tolerability, the Dermatest® guaranty seal can be assigned for use for the test product.


The seal contains the month and year (04/23) of the testing



Dr. med. Gerrit Schlippe
Medical Specialist in
Dermatology and Venereology



dermatest®
Dermatest® GmbH • dermatest.com
Nevinghoff 30 • 48147 Münster



Dr. med. Werner Voss
Medical Specialist in Dermatology,
Venereology, Allergology,
Phlebology and Environmental Medicine

Dermatest[®] GmbH Engelstr. 37 48143 Münster

SYNERGETIC LLC
306 Office 6/1, Nizhne-Volzhskaya Naberezhnaya
603001 Nizhny Novgorod
Russian Federation

Muenster, 20.12.2022

Certificate

for the Product

SYNERGETIC Biodegradable concentrated hypoallergenic laundry capsules COLOR

Dermatological test on humans in 2022

Study number: 2211038656


The dermatological test performed by us on your product under the control of dermatological specialists was passed for this product with the rating of

„excellent“

This product did not lead to toxic-irritative intolerance reactions in patch testing with sensitive skin carried out in accordance with international guidelines. The preparation can therefore be declared as dermatologically tested.


Dr. med. Gerrit Schlippe
Investigating specialist
for dermatology, venereology




Dr. med. Werner Voss
Investigating specialist
for dermatology, allergology,
venereology, phlebology
and environmental medicine



Sponsor

SYNERGETIC LLC
306 Office 6/1, Nizhne-Volzhskaya Naberezhnaya
603001 Nizhny Novgorod
Russian Federation

Münster, 26.03.2024

Certificate

Dermatest GmbH confirms hereby that the Product

SYNERGETIC Biodegradable concentrated hypoallergenic laundry capsules ALL IN ONE

was evaluated for skin tolerability by means of epicutaneous testing on 30 subjects with sensitive skin under the control of dermatological specialists and according to international guidelines.

Study number 2403068065

No relevant skin reactions were detected in the test area following a single product application.


Therefore, from a clinical-dermatological point of view, the product was tolerated

„excellently“

and can be declared as **„dermatologically tested“**.

Based on the study design and the confirmed skin tolerability, the Dermatest® guaranty seal can be assigned for use for the test product.

The seal contains the month and year (03/24) of the testing



Dr. med. Werner Voss

Medical Specialist in Dermatology,
Venereology, Allergology, Phlebology
and Environmental Medicine



Dermatest® GmbH • dermatest.com
Nevinghoff 30 • 48147 Münster

Sponsor

SYNERGETIC LLC
306 Office 6/1, Nizhne-Volzhskaya Naberezhnaya
603001 Nizhny Novgorod
Russian Federation

Münster, 26.03.2024

Certificate

Dermatest GmbH confirms hereby that the Product

SYNERGETIC Biodegradable concentrated hypoallergenic laundry capsules UNIVERSAL

was evaluated for skin tolerability by means of epicutaneous testing on 30 subjects with sensitive skin under the control of dermatological specialists and according to international guidelines.

Study number 2403068065

No relevant skin reactions were detected in the test area following a single product application.


Therefore, from a clinical-dermatological point of view, the product was tolerated

„excellently“

and can be declared as **„dermatologically tested“**.

Based on the study design and the confirmed skin tolerability, the Dermatest® guaranty seal can be assigned for use for the test product.

The seal contains the month and year (03/24) of the testing



Dr. med. Werner Voss

Medical Specialist in Dermatology,
Venereology, Allergology, Phlebology
and Environmental Medicine



Dermatest® GmbH • dermatest.com
Nevinghoff 30 • 48147 Münster

Dermatest® GmbH Engelstr. 37 48143 Münster

Synergetic LLC
306 Office 6/1, Nizhne-Volzhskaya Naberezhnaya
603001 Nizhny Novgorod
Russian federation

Muenster, 27.04.2021

Certificate

for the Product

SYNERGETIC Biodegradable fabric softener for baby clothes

Dermatological test on humans in 2021

Study number: 2103112394

The dermatological test performed by us on your product under the control of
dermatological specialists was passed for this product with the rating of

„excellent“

This product did not lead to toxic-irritative intolerance reactions in patch
testing on sensitive skin carried out in accordance with international
guidelines. The preparation can therefore be declared as
dermatologically tested.


Dr. med. Gerrit Schlippe
Investigating specialist
for dermatology, venereology




Dr. med. Werner Voss
Investigating Specialist
for dermatology, allergology,
venereology, phlebology
and environmental medicine



Dermatest[®] GmbH Engelstr. 37 48143 Münster

Synergetic LLC
306 Office 6/1, Nizhne-Volzhskaya Naberezhnaya
603001 Nizhny Novgorod
Russian federation

Muenster, 17.08.2021

Certificate

for the Product

SYNERGETIC Biodegradable concentrated hypoallergenic fabric softener balsam, Blooming Orange and Rose

Dermatological test on humans in 2021

Study number: 2107195620

The dermatological test performed by us on your product under the control of
dermatological specialists was passed for this product with the rating of

„excellent“

This product did not lead to toxic-irritative intolerance reactions in patch
testing on sensitive skin carried out in accordance with international
guidelines. The preparation can therefore be declared as
dermatologically tested.


Dr. med. Gerrit Schlippe
Investigating specialist
for dermatology, venereology




Dr. med. Werner Voss
Investigating specialist
for dermatology, allergology,
venereology, phlebology
and environmental medicine



Dermatest® GmbH Engelstr. 37 48143 Münster

Synergetic LLC
306 Office 6/1, Nizhne-Volzhskaya Naberezhnaya
603001 Nizhny Novgorod
Russian federation

Muenster, 17.08.2021

Certificate

for the Product

SYNERGETIC Biodegradable concentrated hypoallergenic fabric softener balsam, Eucalyptus and Chamomile

Dermatological test on humans in 2021

Study number: 2107195620


The dermatological test performed by us on your product under the control of
dermatological specialists was passed for this product with the rating of

„excellent“

This product did not lead to toxic-irritative intolerance reactions in patch
testing on sensitive skin carried out in accordance with international
guidelines. The preparation can therefore be declared as
dermatologically tested.


Dr. med. Gerrit Schlippe
Investigating specialist
for dermatology, venereology




Dr. med. Werner Voss
Investigating specialist
for dermatology, allergology,
venereology, phlebology
and environmental medicine



Dermatest[®] GmbH Engelstr. 37 48143 Münster

Synergetic LLC
306 Office 6/1, Nizhne-Volzhskaya Naberezhnaya
603001 Nizhny Novgorod
Russian federation

Muenster, 17.08.2021

Certificate

for the Product

SYNERGETIC Biodegradable concentrated hypoallergenic fabric softener balsam, Gentle Iris and Pomegranate

Dermatological test on humans in 2021

Study number: 2107195620


The dermatological test performed by us on your product under the control of
dermatological specialists was passed for this product with the rating of

„excellent“

This product did not lead to toxic-irritative intolerance reactions in patch
testing on sensitive skin carried out in accordance with international
guidelines. The preparation can therefore be declared as
dermatologically tested.


Dr. med. Gerrit Schlippe
Investigating specialist
for dermatology, venereology




Dr. med. Werner Voss
Investigating specialist
for dermatology, allergology,
venereology, phlebology
and environmental medicine



Dermatest[®] GmbH Engelstr. 37 48143 Münster

Synergetic LLC
306 Office 6/1, Nizhne-Volzhskaya Naberezhnaya
603001 Nizhny Novgorod
Russian federation

Muenster, 17.08.2021

Certificate

for the Product

SYNERGETIC Biodegradable concentrated hypoallergenic fabric softener balsam, Pomelo and Apple Blossom

Dermatological test on humans in 2021

Study number: 2107195620

The dermatological test performed by us on your product under the control of
dermatological specialists was passed for this product with the rating of

„excellent“

This product did not lead to toxic-irritative intolerance reactions in patch
testing on sensitive skin carried out in accordance with international
guidelines. The preparation can therefore be declared as
dermatologically tested.


Dr. med. Gerrit Schlippe
Investigating specialist
for dermatology, venereology




Dr. med. Werner Voss
Investigating specialist
for dermatology, allergology,
venereology, phlebology
and environmental medicine



Dermatest[®] GmbH Engelstr. 37 48143 Münster

Synergetic LLC
306 Office 6/1, Nizhne-Volzhskaya Naberezhnaya
603001 Nizhny Novgorod
Russian federation

Muenster, 17.08.2021

Certificate

for the Product

SYNERGETIC Biodegradable concentrated hypoallergenic fabric softener balsam, Ylang-Ylang and Cherry

Dermatological test on humans in 2021

Study number: 2107195620

The dermatological test performed by us on your product under the control of
dermatological specialists was passed for this product with the rating of

„excellent“

This product did not lead to toxic-irritative intolerance reactions in patch
testing on sensitive skin carried out in accordance with international
guidelines. The preparation can therefore be declared as
dermatologically tested.


Dr. med. Gerrit Schlippe
Investigating specialist
for dermatology, venereology




Dr. med. Werner Voss
Investigating specialist
for dermatology, allergology,
venereology, phlebology
and environmental medicine



Sponsor

SYNERGETIC LLC
306 Office 6/1, Nizhne-Volzhskaya Naberezhnaya
603001 Nizhny Novgorod
Russian Federation

Münster, 17.01.2023

Certificate

Dermatest GmbH certifies hereby that the Product

SYNERGETIC Hypoallergenic washing powder for colored clothes COLOR

was evaluated for skin tolerability by means of epicutaneous testing on 30 subjects with sensitive skin under the control of dermatological specialists and according to international guidelines.

Study number 2211167985

No relevant skin reactions were detected in the test area following a single product application.

Therefore, from a clinical-dermatological point of view, the product was tolerated

„excellently“

and can be declared as **„dermatologically tested“**.

Based on the study design and the confirmed skin tolerability, the Dermatest® guaranty seal can be assigned for use for the test product.


The seal contains the month and year (01/23) of the testing



Dr. med. Gerrit Schlippe
Medical Specialist in
Dermatology and Venereology



dermatest®
Dermatest® GmbH • dermatest.com
Nevinghoff 30 • 48147 Münster



Dr. med. Werner Voss
Medical Specialist in Dermatology,
Venereology, Allergology,
Phlebology and Environmental Medicine

Sponsor

SYNERGETIC LLC
306 Office 6/1, Nizhne-Volzhskaya Naberezhnaya
603001 Nizhny Novgorod
Russian Federation

Münster, 28.02.2023

Certificate

Dermatest GmbH certifies hereby that the Product

SYNERGETIC Hypoallergenic washing powder for baby clothes BABY SENSITIVE

was evaluated for skin tolerability by means of epicutaneous testing on 30 subjects with atopic skin under the control of dermatological specialists and according to international guidelines.

Study number 2301198918

No relevant skin reactions were detected in the test area following a single product application.

Therefore, from a clinical-dermatological point of view, the product was tolerated

„excellently“

and can be declared as **„dermatologically tested“**.

Based on the study design and the confirmed skin tolerability, the Dermatest® guaranty seal can be assigned for use for the test product.


The seal contains the month and year (02/23) of the testing



Dr. med. Gerrit Schlippe
Medical Specialist in
Dermatology and Venereology



Dermatest® GmbH • dermatest.com
Nevinghoff 30 • 48147 Münster



Dr. med. Werner Voss
Medical Specialist in Dermatology,
Venereology, Allergology,
Phlebology and Environmental Medicine