

Dermatest<sup>®</sup> GmbH Engelstr. 37 48143 Münster

Synergetic LLC  
306 Office 6/1, Nizhne-Volzhskaya Naberezhnaya  
603001 Nizhny Novgorod  
Russian federation

Muenster, 17.08.2021

# Certificate

for the Cosmetic product

**SYNERGETIC Eco biodegradable antibacterial hypoallergenic  
moisturizing liquid soap**

**for washing hands and body liquid soap, Coconut Milk, purity and  
ultra-protection 99.9%**

**Dermatological test on humans in 2021**

Study number: 2107195620


The dermatological test performed by us on your product under the control of  
dermatological specialists was passed for this product with the rating of

**„excellent“**

This product did not lead to toxic-irritative intolerance reactions in patch  
testing on sensitive skin carried out in accordance with international  
guidelines. The preparation can therefore be declared as  
dermatologically tested.



**Dr. med. Gerrit Schlippe**  
Investigating specialist  
for dermatology, venereology



**Dr. med. Werner Voss**  
Investigating specialist  
for dermatology, allergology,  
venereology, phlebology  
and environmental medicine



Dermatest® GmbH Engelstr. 37 48143 Münster

Synergetic LLC  
306 Office 6/1, Nizhne-Volzhs kaya Naberezhnaya  
603001 Nizhny Novgorod  
Russian federation

Muenster, 22.06.2021

# Certificate

for the Cosmetic product

**SYNERGETIC Eco biodegradable antibacterial hypoallergenic  
moisturizing liquid soap for washing hands and body  
Ginger and Bergamot, purity and ultra-protection 99.9%**

**Dermatological test on humans in 2021**

Study number: 2105079960


The dermatological test performed by us on your product under the control of dermatological specialists was passed for this product with the rating of

**„excellent“**

This product did not lead to toxic-irritative intolerance reactions in patch testing on sensitive skin carried out in accordance with international guidelines. The preparation can therefore be declared as dermatologically tested.



**Dr. med. Gerrit Schlippe**  
Investigating specialist  
for dermatology, venereology



**Dr. med. Werner Voss**  
Investigating specialist  
for dermatology, allergology,  
venereology, phlebology  
and environmental medicine



Dermatest<sup>®</sup> GmbH Engelstr. 37 48143 Münster

Synergetic LLC  
306 Office 6/1, Nizhne-Volzhskaya Naberezhnaya  
603001 Nizhny Novgorod  
Russian federation

Muenster, 22.06.2021

# Certificate

for the Cosmetic product

## **SYNERGETIC Eco antibacterial biodegradable neutralizing liquid soap for kitchen and washing hands ANTI-ODOR Lemongrass and Mint, purity and ultra-protection Dermatological test on humans in 2021**

Study number: 2105079960


The dermatological test performed by us on your product under the control of dermatological specialists was passed for this product with the rating of

**„excellent“**

This product did not lead to toxic-irritative intolerance reactions in patch testing on sensitive skin carried out in accordance with international guidelines. The preparation can therefore be declared as dermatologically tested.



**Dr. med. Gerrit Schlippe**  
Investigating specialist  
for dermatology, venereology



**Dr. med. Werner Voss**  
Investigating specialist  
for dermatology, allergology,  
venereology, phlebology  
and environmental medicine



Dermatest<sup>®</sup> GmbH Engelstr. 37 48143 Münster

Synergetic LLC  
306 Office 6/1, Nizhne-Volzhs kaya Naberezhnaya  
603001 Nizhny Novgorod  
Russian federation

Muenster, 22.06.2021

# Certificate

for the Cosmetic product

**SYNERGETIC Eco biodegradable antibacterial hypoallergenic  
moisturizing liquid soap for washing hands and body  
Melissa and Chamomile, purity and ultra-protection 99.9%**

**Dermatological test on humans in 2021**

Study number: 2105079960


The dermatological test performed by us on your product under the control of dermatological specialists was passed for this product with the rating of

**„excellent“**

This product did not lead to toxic-irritative intolerance reactions in patch testing on sensitive skin carried out in accordance with international guidelines. The preparation can therefore be declared as dermatologically tested.



**Dr. med. Gerrit Schlippe**  
Investigating specialist  
for dermatology, venereology



**Dr. med. Werner Voss**  
Investigating specialist  
for dermatology, allergology,  
venereology, phlebology  
and environmental medicine



Dermatest<sup>®</sup> GmbH Engelstr. 37 48143 Münster

Synergetic LLC  
306 Office 6/1, Nizhne-Volzhs kaya Naberezhnaya  
603001 Nizhny Novgorod  
Russian federation

Muenster, 22.06.2021

# Certificate

for the Cosmetic product

## **SYNERGETIC Biodegradable hand and body liquid soap, Almond milk**

Dermatological test on humans in 2021

Study number: 2105079960


The dermatological test performed by us on your product under the control of dermatological specialists was passed for this product with the rating of

**„excellent“**

This product did not lead to toxic-irritative intolerance reactions in patch testing on sensitive skin carried out in accordance with international guidelines. The preparation can therefore be declared as dermatologically tested.



**Dr. med. Gerrit Schlippe**  
Investigating specialist  
for dermatology, venereology



**Dr. med. Werner Voss**  
Investigating specialist  
for dermatology, allergology,  
venereology, phlebology  
and environmental medicine



Dermatest® GmbH Engelstr. 37 48143 Münster

Synergetic LLC  
306 Office 6/1, Nizhne-Volzhsкая Naberezhnaya  
603001 Nizhny Novgorod  
Russian federation

Muenster, 22.06.2021

# Certificate

for the Cosmetic product

## SYNERGETIC Biodegradable hand and body liquid soap, Aromamagic

Dermatological test on humans in 2021

Study number: 2105079960


The dermatological test performed by us on your product under the control of dermatological specialists was passed for this product with the rating of

**„excellent“**

This product did not lead to toxic-irritative intolerance reactions in patch testing on sensitive skin carried out in accordance with international guidelines. The preparation can therefore be declared as dermatologically tested.



**Dr. med. Gerrit Schlippe**  
Investigating specialist  
for dermatology, venereology



**Dr. med. Werner Voss**  
Investigating specialist  
for dermatology, allergology,  
venereology, phlebology  
and environmental medicine



Dermatest<sup>®</sup> GmbH Engelstr. 37 48143 Münster

Synergetic LLC  
306 Office 6/1, Nizhne-Volzhs kaya Naberezhnaya  
603001 Nizhny Novgorod  
Russian federation

Muenster, 22.06.2021

# Certificate

for the Cosmetic product

## **SYNERGETIC Biodegradable hand and body liquid soap, Fruit mix**

Dermatological test on humans in 2021

Study number: 2105079960


The dermatological test performed by us on your product under the control of dermatological specialists was passed for this product with the rating of

**„excellent“**

This product did not lead to toxic-irritative intolerance reactions in patch testing on sensitive skin carried out in accordance with international guidelines. The preparation can therefore be declared as dermatologically tested.



**Dr. med. Gerrit Schlippe**  
Investigating specialist  
for dermatology, venereology



**Dr. med. Werner Voss**  
Investigating specialist  
for dermatology, allergology,  
venereology, phlebology  
and environmental medicine



Dermatest® GmbH Engelstr. 37 48143 Münster

Synergetic LLC  
306 Office 6/1, Nizhne-Volzhs kaya Naberezhnaya  
603001 Nizhny Novgorod  
Russian federation

Muenster, 22.06.2021

# Certificate

for the Cosmetic product

## SYNERGETIC Biodegradable hand and body liquid soap, Lavender

Dermatological test on humans in 2021

Study number: 2105079960


The dermatological test performed by us on your product under the control of dermatological specialists was passed for this product with the rating of

**„excellent“**

This product did not lead to toxic-irritative intolerance reactions in patch testing on sensitive skin carried out in accordance with international guidelines. The preparation can therefore be declared as dermatologically tested.



**Dr. med. Gerrit Schlippe**  
Investigating specialist  
for dermatology, venereology



**Dr. med. Werner Voss**  
Investigating specialist  
for dermatology, allergology,  
venereology, phlebology  
and environmental medicine



Dermatest<sup>®</sup> GmbH Engelstr. 37 48143 Münster

Synergetic LLC  
306 Office 6/1, Nizhne-Volzhs kaya Naberezhnaya  
603001 Nizhny Novgorod  
Russian federation

Muenster, 22.06.2021

# Certificate

for the Cosmetic product

## **SYNERGETIC Biodegradable hand and body liquid soap, Meadow herbs**

Dermatological test on humans in 2021

Study number: 2105079960


The dermatological test performed by us on your product under the control of dermatological specialists was passed for this product with the rating of

**„excellent“**

This product did not lead to toxic-irritative intolerance reactions in patch testing on sensitive skin carried out in accordance with international guidelines. The preparation can therefore be declared as dermatologically tested.



**Dr. med. Gerrit Schlippe**  
Investigating specialist  
for dermatology, venereology



**Dr. med. Werner Voss**  
Investigating specialist  
for dermatology, allergology,  
venereology, phlebology  
and environmental medicine



Dermatest® GmbH Engelstr. 37 48143 Münster

Synergetic LLC  
306 Office 6/1, Nizhne-Volzhszkaya Naberezhnaya  
603001 Nizhny Novgorod  
Russian federation

Muenster, 22.06.2021

# Certificate

for the Cosmetic product

## SYNERGETIC Biodegradable hand and body liquid soap, Wildflowers

Dermatological test on humans in 2021

Study number: 2105079960


The dermatological test performed by us on your product under the control of dermatological specialists was passed for this product with the rating of

**„excellent“**

This product did not lead to toxic-irritative intolerance reactions in patch testing on sensitive skin carried out in accordance with international guidelines. The preparation can therefore be declared as dermatologically tested.



**Dr. med. Gerrit Schlippe**  
Investigating specialist  
for dermatology, venereology



**Dr. med. Werner Voss**  
Investigating specialist  
for dermatology, allergology,  
venereology, phlebology  
and environmental medicine



Dermatest® GmbH Engelstr. 37 48143 Münster

Synergetic LLC  
306 Office 6/1, Nizhne-Volzhszkaya Naberezhnaya  
603001 Nizhny Novgorod  
Russian federation

Muenster, 28.09.2021

# Certificate

for the Cosmetic product

## SYNERGETIC Biodegradable natural hand & body soap, Blooming Fig and Lotus

Dermatological test on humans in 2021

Study number: 2108249582


The dermatological test performed by us on your product under the control of dermatological specialists was passed for this product with the rating of

**„excellent“**

This product did not lead to toxic-irritative intolerance reactions in patch testing on sensitive skin carried out in accordance with international guidelines. The preparation can therefore be declared as dermatologically tested.



**Dr. med. Gerrit Schlippe**  
Investigating specialist  
for dermatology, venereology



**Dr. med. Werner Voss**  
Investigating specialist  
for dermatology, allergology,  
venereology, phlebology  
and environmental medicine



Dermatest<sup>®</sup> GmbH Engelstr. 37 48143 Münster

Synergetic LLC  
306 Office 6/1, Nizhne-Volzhsкая Naberezhnaya  
603001 Nizhny Novgorod  
Russian federation

Muenster, 28.09.2021

# Certificate

for the Cosmetic product

## **SYNERGETIC Biodegradable natural hand & body soap, Caramel Apple and Vanilla**

Dermatological test on humans in 2021

Study number: 2108249582


The dermatological test performed by us on your product under the control of dermatological specialists was passed for this product with the rating of

**„excellent“**

This product did not lead to toxic-irritative intolerance reactions in patch testing on sensitive skin carried out in accordance with international guidelines. The preparation can therefore be declared as dermatologically tested.



**Dr. med. Gerrit Schlippe**  
Investigating specialist  
for dermatology, venereology



**Dr. med. Werner Voss**  
Investigating specialist  
for dermatology, allergology,  
venereology, phlebology  
and environmental medicine



Dermatest® GmbH Engelstr. 37 48143 Münster

Synergetic LLC  
306 Office 6/1, Nizhne-Volzhs kaya Naberezhnaya  
603001 Nizhny Novgorod  
Russian federation

Muenster, 28.09.2021

# Certificate

for the Cosmetic product

## SYNERGETIC Biodegradable natural hand & body soap, Cloves and Wild Cranberries

Dermatological test on humans in 2021

Study number: 2108249582


The dermatological test performed by us on your product under the control of dermatological specialists was passed for this product with the rating of

**„excellent“**

This product did not lead to toxic-irritative intolerance reactions in patch testing on sensitive skin carried out in accordance with international guidelines. The preparation can therefore be declared as dermatologically tested.



**Dr. med. Gerrit Schlippe**  
Investigating specialist  
for dermatology, venereology



**Dr. med. Werner Voss**  
Investigating specialist  
for dermatology, allergology,  
venereology, phlebology  
and environmental medicine



Dermatest<sup>®</sup> GmbH Engelstr. 37 48143 Münster

Synergetic LLC  
306 Office 6/1, Nizhne-Volzhs kaya Naberezhnaya  
603001 Nizhny Novgorod  
Russian federation

Muenster, 28.09.2021

# Certificate

for the Cosmetic product

## SYNERGETIC Biodegradable natural hand & body soap, Patchouli and Scented Bergamot

Dermatological test on humans in 2021

Study number: 2108249582


The dermatological test performed by us on your product under the control of dermatological specialists was passed for this product with the rating of

**„excellent“**

This product did not lead to toxic-irritative intolerance reactions in patch testing on sensitive skin carried out in accordance with international guidelines. The preparation can therefore be declared as dermatologically tested.



**Dr. med. Gerrit Schlippe**  
Investigating specialist  
for dermatology, venereology



**Dr. med. Werner Voss**  
Investigating specialist  
for dermatology, allergology,  
venereology, phlebology  
and environmental medicine



Dermatest<sup>®</sup> GmbH Engelstr. 37 48143 Münster

Synergetic LLC  
306 Office 6/1, Nizhne-Volzhszkaya Naberezhnaya  
603001 Nizhny Novgorod  
Russian federation

Muenster, 28.09.2021

# Certificate

for the Cosmetic product

## **SYNERGETIC Biodegradable natural hand & body soap, Sandalwood and Juniper Berries**

Dermatological test on humans in 2021

Study number: 2108249582


The dermatological test performed by us on your product under the control of dermatological specialists was passed for this product with the rating of

**„excellent“**

This product did not lead to toxic-irritative intolerance reactions in patch testing on sensitive skin carried out in accordance with international guidelines. The preparation can therefore be declared as dermatologically tested.



**Dr. med. Gerrit Schlippe**  
Investigating specialist  
for dermatology, venereology



**Dr. med. Werner Voss**  
Investigating specialist  
for dermatology, allergology,  
venereology, phlebology  
and environmental medicine



**Sponsor**

Synergetic LLC  
306 Office 6/1, Nizhne-Volzhszkaya Naberezhnaya  
603001 Nizhny Novgorod  
Russia

Münster, 29.04.2025

# Certificate

Dermatest GmbH confirms hereby that the Cosmetic Product

## **SYNERGETIC Biodegradable Hand and Body Liquid Cream Soap, Oat Milk and Cotton**

was evaluated for skin tolerability by means of epicutaneous testing on 30 subjects  
with sensitive skin  
under the control of dermatological specialists and according to international guidelines.

### **Study number ST-ET-2025-00060**

No relevant skin reactions were detected in the test area following  
a single product application.

Therefore, from a clinical-dermatological point of view, the product was tolerated

## **"excellently"**

and can be declared as „**dermatologically tested**“ .

Based on the study design and the confirmed skin tolerability, the Dermatest® guaranty seal can be assigned  
for use for the test product.

The seal contains the month and year (04/25) of the testing.



**Dr. med. Werner Voss**  
Medical Specialist in Dermatology,  
Venereology, Allergology,  
Phlebology and Environmental  
Medicine



Dermatest® GmbH • [dermatest.com](http://dermatest.com)  
Nevinghoff 30 • 48147 Münster

**Sponsor**

Synergetic LLC  
306 Office 6/1, Nizhne-Volzhszkaya Naberezhnaya  
603001 Nizhny Novgorod  
Russia

Münster, 29.04.2025

# Certificate

Dermatest GmbH confirms hereby that the Cosmetic Product

## **SYNERGETIC Biodegradable Hand and Body Liquid Cream Soap, Aloe Vera**

was evaluated for skin tolerability by means of epicutaneous testing on 30 subjects  
with sensitive skin  
under the control of dermatological specialists and according to international guidelines.

### **Study number ST-ET-2025-00060**

No relevant skin reactions were detected in the test area following  
a single product application.

Therefore, from a clinical-dermatological point of view, the product was tolerated

## **"excellently"**

and can be declared as „**dermatologically tested**“ .

Based on the study design and the confirmed skin tolerability, the Dermatest® guaranty seal can be assigned  
for use for the test product.

The seal contains the month and year (04/25) of the testing.



**Dr. med. Werner Voss**  
Medical Specialist in Dermatology,  
Venereology, Allergology,  
Phlebology and Environmental  
Medicine



Dermatest® GmbH • [dermatest.com](http://dermatest.com)  
Nevinghoff 30 • 48147 Münster

**Sponsor**

Synergetic LLC  
306 Office 6/1, Nizhne-Volzhszkaya Naberezhnaya  
603001 Nizhny Novgorod  
Russia

Münster, 29.04.2025

# Certificate

Dermatest GmbH confirms hereby that the Cosmetic Product

## **SYNERGETIC Biodegradable Hand and Body Liquid Cream Soap, Wild Berries**

was evaluated for skin tolerability by means of epicutaneous testing on 30 subjects  
with sensitive skin  
under the control of dermatological specialists and according to international guidelines.

### **Study number ST-ET-2025-00060**

No relevant skin reactions were detected in the test area following  
a single product application.

Therefore, from a clinical-dermatological point of view, the product was tolerated

## **"excellently"**

and can be declared as „**dermatologically tested**“ .

Based on the study design and the confirmed skin tolerability, the Dermatest® guaranty seal can be assigned  
for use for the test product.

The seal contains the month and year (04/25) of the testing.



**Dr. med. Werner Voss**  
Medical Specialist in Dermatology,  
Venereology, Allergology,  
Phlebology and Environmental  
Medicine



Dermatest® GmbH • [dermatest.com](http://dermatest.com)  
Nevinghoff 30 • 48147 Münster

**Sponsor**

Synergetic LLC  
306 Office 6/1, Nizhne-Volzhszkaya Naberezhnaya  
603001 Nizhny Novgorod  
Russia

Münster, 29.04.2025

# Certificate

Dermatest GmbH confirms hereby that the Cosmetic Product

## **SYNERGETIC Biodegradable Hand and Body Liquid Soap, Basil and Sea Salt**

was evaluated for skin tolerability by means of epicutaneous testing on 30 subjects  
with sensitive skin  
under the control of dermatological specialists and according to international guidelines.

### **Study number ST-ET-2025-00060**

No relevant skin reactions were detected in the test area following  
a single product application.

Therefore, from a clinical-dermatological point of view, the product was tolerated

## **"excellently"**

and can be declared as „**dermatologically tested**“ .

Based on the study design and the confirmed skin tolerability, the Dermatest® guaranty seal can be assigned  
for use for the test product.

The seal contains the month and year (04/25) of the testing.



**Dr. med. Werner Voss**  
Medical Specialist in Dermatology,  
Venereology, Allergology,  
Phlebology and Environmental  
Medicine



Dermatest® GmbH • [dermatest.com](http://dermatest.com)  
Nevinghoff 30 • 48147 Münster

Dermatest® GmbH Engelstr. 37 48143 Münster

Synergetic LLC  
306 Office 6/1, Nizhne-Volzhskaya Naberezhnaya  
603001 Nizhny Novgorod  
Russian federation

Muenster, 12.10.2021

# Certificate

for the Cosmetic product

## SYNERGETIC Natural Bar Soap Eucalyptus and Sage

Dermatological test on humans in 2021

Study number: 2109131400

The dermatological test performed by us on your product under the control of dermatological specialists was passed for this product with the rating of


**„excellent“**

With the tested preparation less than 10% of the test persons showed very mild transient reactions in the epicutaneous test performed with subjects having sensitive skin according to international guidelines. For all other subjects this product did not lead to any toxic- irritative intolerance reactions.

Sporadic, mild reactions in the epicutaneous test are normal in a test group and must be seen in the context of the test conditions in contrast to the intended use. Thus the product is not restricted in the evaluation "dermatologically tested".



**Dr. med. Gerrit Schlippe**  
Investigating specialist  
for dermatology, venereology



**Dr. med. Werner Voss**  
Investigating specialist  
for dermatology, allergology,  
venereology, phlebology  
and environmental medicine



Dermatest® GmbH Engelstr. 37 48143 Münster

Synergetic LLC  
306 Office 6/1, Nizhne-Volzhskaya Naberezhnaya  
603001 Nizhny Novgorod  
Russian federation

Muenster, 12.10.2021

# Certificate

for the Cosmetic product

## SYNERGETIC Natural Bar Soap - Mint oil and Orange

Dermatological test on humans in 2021

Study number: 2109131400

The dermatological test performed by us on your product under the control of dermatological specialists was passed for this product with the rating of


**„excellent“**

With the tested preparation less than 10% of the test persons showed very mild transient reactions in the epicutaneous test performed with subjects having sensitive skin according to international guidelines. For all other subjects this product did not lead to any toxic- irritative intolerance reactions.

Sporadic, mild reactions in the epicutaneous test are normal in a test group and must be seen in the context of the test conditions in contrast to the intended use. Thus the product is not restricted in the evaluation "dermatologically tested".



**Dr. med. Gerrit Schlippe**  
Investigating specialist  
for dermatology, venereology



**Dr. med. Werner Voss**  
Investigating specialist  
for dermatology, allergology,  
venereology, phlebology  
and environmental medicine



Dermatest® GmbH Engelstr. 37 48143 Münster

Synergetic LLC  
306 Office 6/1, Nizhne-Volzhs kaya Naberezhnaya  
603001 Nizhny Novgorod  
Russian federation

Muenster, 12.10.2021

# Certificate

for the Cosmetic product

## SYNERGETIC Natural Bar Soap - Rosemary and Ginger

Dermatological test on humans in 2021

Study number: 2109131400


The dermatological test performed by us on your product under the control of dermatological specialists was passed for this product with the rating of

**„excellent“**

This product did not lead to toxic-irritative intolerance reactions in patch testing on sensitive skin carried out in accordance with international guidelines. The preparation can therefore be declared as dermatologically tested.



**Dr. med. Gerrit Schlippe**  
Investigating specialist  
for dermatology, venereology



**Dr. med. Werner Voss**  
Investigating specialist  
for dermatology, allergology,  
venereology, phlebology  
and environmental medicine



Dermatest<sup>®</sup> GmbH Engelstr. 37 48143 Münster

Synergetic LLC  
306 Office 6/1, Nizhne-Volzhs kaya Naberezhnaya  
603001 Nizhny Novgorod  
Russian federation

Muenster, 12.10.2021

# Certificate

for the Cosmetic product

## SYNERGETIC Natural Bar Soap - Sea salt and Seaweed

Dermatological test on humans in 2021

Study number: 2109131400


The dermatological test performed by us on your product under the control of dermatological specialists was passed for this product with the rating of

**„excellent“**

This product did not lead to toxic-irritative intolerance reactions in patch testing on sensitive skin carried out in accordance with international guidelines. The preparation can therefore be declared as dermatologically tested.



**Dr. med. Gerrit Schlippe**  
Investigating specialist  
for dermatology, venereology



**Dr. med. Werner Voss**  
Investigating specialist  
for dermatology, allergology,  
venereology, phlebology  
and environmental medicine



Dermatest<sup>®</sup> GmbH Engelstr. 37 48143 Münster

Synergetic LLC  
306 Office 6/1, Nizhne-Volzhskaya Naberezhnaya  
603001 Nizhny Novgorod  
Russian federation

Muenster, 28.09.2021

# Certificate

for the Cosmetic product

## SYNERGETIC Biodegradable natural shower gel, Blooming Fig and Lotus

Dermatological test on humans in 2021

Study number: 2108249582


The dermatological test performed by us on your product under the control of dermatological specialists was passed for this product with the rating of

**„excellent“**

This product did not lead to toxic-irritative intolerance reactions in patch testing on sensitive skin carried out in accordance with international guidelines. The preparation can therefore be declared as dermatologically tested.



**Dr. med. Gerrit Schlippe**  
Investigating specialist  
for dermatology, venereology



**Dr. med. Werner Voss**  
Investigating specialist  
for dermatology, allergology,  
venereology, phlebology  
and environmental medicine



Dermatest® GmbH Engelstr. 37 48143 Münster

Synergetic LLC  
306 Office 6/1, Nizhne-Volzhskaya Naberezhnaya  
603001 Nizhny Novgorod  
Russian federation

Muenster, 28.09.2021

# Certificate

for the Cosmetic product

## SYNERGETIC Biodegradable natural shower gel, Caramel Apple and Vanilla

Dermatological test on humans in 2021

Study number: 2108249582


The dermatological test performed by us on your product under the control of dermatological specialists was passed for this product with the rating of

**„excellent“**

This product did not lead to toxic-irritative intolerance reactions in patch testing on sensitive skin carried out in accordance with international guidelines. The preparation can therefore be declared as dermatologically tested.



**Dr. med. Gerrit Schlippe**  
Investigating specialist  
for dermatology, venereology



**Dr. med. Werner Voss**  
Investigating specialist  
for dermatology, allergology,  
venereology, phlebology  
and environmental medicine



Dermatest<sup>®</sup> GmbH Engelstr. 37 48143 Münster

Synergetic LLC  
306 Office 6/1, Nizhne-Volzhsкая Naberezhnaya  
603001 Nizhny Novgorod  
Russian federation

Muenster, 28.09.2021

# Certificate

for the Cosmetic product

## **SYNERGETIC Biodegradable natural shower gel, Cloves and Wild Cranberries**

Dermatological test on humans in 2021

Study number: 2108249582


The dermatological test performed by us on your product under the control of dermatological specialists was passed for this product with the rating of

**„excellent“**

This product did not lead to toxic-irritative intolerance reactions in patch testing on sensitive skin carried out in accordance with international guidelines. The preparation can therefore be declared as dermatologically tested.



**Dr. med. Gerrit Schlippe**  
Investigating specialist  
for dermatology, venereology



**Dr. med. Werner Voss**  
Investigating specialist  
for dermatology, allergology,  
venereology, phlebology  
and environmental medicine



Dermatest® GmbH Engelstr. 37 48143 Münster

Synergetic LLC  
306 Office 6/1, Nizhne-Volzhsкая Naberezhnaya  
603001 Nizhny Novgorod  
Russian federation

Muenster, 28.09.2021

# Certificate

for the Cosmetic product

## SYNERGETIC Biodegradable natural shower gel, Coconut and Macadamia oil

Dermatological test on humans in 2021

Study number: 2108249582


The dermatological test performed by us on your product under the control of dermatological specialists was passed for this product with the rating of

**„excellent“**

This product did not lead to toxic-irritative intolerance reactions in patch testing on sensitive skin carried out in accordance with international guidelines. The preparation can therefore be declared as dermatologically tested.



**Dr. med. Gerrit Schlippe**  
Investigating specialist  
for dermatology, venereology



**Dr. med. Werner Voss**  
Investigating specialist  
for dermatology, allergology,  
venereology, phlebology  
and environmental medicine



Dermatest<sup>®</sup> GmbH Engelstr. 37 48143 Münster

Synergetic LLC  
306 Office 6/1, Nizhne-Volzhskaya Naberezhnaya  
603001 Nizhny Novgorod  
Russian federation

Muenster, 28.09.2021

# Certificate

for the Cosmetic product

## **SYNERGETIC Biodegradable natural shower gel, Coffee and Green Lime**

Dermatological test on humans in 2021

Study number: 2108249582


The dermatological test performed by us on your product under the control of dermatological specialists was passed for this product with the rating of

**„excellent“**

This product did not lead to toxic-irritative intolerance reactions in patch testing on sensitive skin carried out in accordance with international guidelines. The preparation can therefore be declared as dermatologically tested.



**Dr. med. Gerrit Schlippe**  
Investigating specialist  
for dermatology, venereology



**Dr. med. Werner Voss**  
Investigating specialist  
for dermatology, allergology,  
venereology, phlebology  
and environmental medicine



Dermatest® GmbH Engelstr. 37 48143 Münster

Synergetic LLC  
306 Office 6/1, Nizhne-Volzhs kaya Naberezhnaya  
603001 Nizhny Novgorod  
Russian federation

Muenster, 28.09.2021

# Certificate

for the Cosmetic product

## SYNERGETIC Biodegradable natural shower gel, Kumquat and Sensual Neroli

Dermatological test on humans in 2021

Study number: 2108249582


The dermatological test performed by us on your product under the control of dermatological specialists was passed for this product with the rating of

**„excellent“**

This product did not lead to toxic-irritative intolerance reactions in patch testing on sensitive skin carried out in accordance with international guidelines. The preparation can therefore be declared as dermatologically tested.



**Dr. med. Gerrit Schlippe**  
Investigating specialist  
for dermatology, venereology



**Dr. med. Werner Voss**  
Investigating specialist  
for dermatology, allergology,  
venereology, phlebology  
and environmental medicine



Dermatest® GmbH Engelstr. 37 48143 Münster

Synergetic LLC  
306 Office 6/1, Nizhne-Volzhskaya Naberezhnaya  
603001 Nizhny Novgorod  
Russian federation

Muenster, 28.09.2021

# Certificate

for the Cosmetic product

## SYNERGETIC Biodegradable natural shower gel, Patchouli and Scented Bergamot

Dermatological test on humans in 2021

Study number: 2108249582


The dermatological test performed by us on your product under the control of dermatological specialists was passed for this product with the rating of

**„excellent“**

This product did not lead to toxic-irritative intolerance reactions in patch testing on sensitive skin carried out in accordance with international guidelines. The preparation can therefore be declared as dermatologically tested.



**Dr. med. Gerrit Schlippe**  
Investigating specialist  
for dermatology, venereology



**Dr. med. Werner Voss**  
Investigating specialist  
for dermatology, allergology,  
venereology, phlebology  
and environmental medicine



Dermatest® GmbH Engelstr. 37 48143 Münster

Synergetic LLC  
306 Office 6/1, Nizhne-Volzhskaya Naberezhnaya  
603001 Nizhny Novgorod  
Russian federation

Muenster, 28.09.2021

# Certificate

for the Cosmetic product

## SYNERGETIC Biodegradable natural shower gel, Sandalwood and Juniper Berries

Dermatological test on humans in 2021

Study number: 2108249582


The dermatological test performed by us on your product under the control of dermatological specialists was passed for this product with the rating of

**„excellent“**

This product did not lead to toxic-irritative intolerance reactions in patch testing on sensitive skin carried out in accordance with international guidelines. The preparation can therefore be declared as dermatologically tested.



**Dr. med. Gerrit Schlippe**  
Investigating specialist  
for dermatology, venereology



**Dr. med. Werner Voss**  
Investigating specialist  
for dermatology, allergology,  
venereology, phlebology  
and environmental medicine



Sponsor

SYNERGETIC LLC  
306 Office 6/1, Nizhne-Volzhszkaya Naberezhnaya  
603001 Nizhny Novgorod  
Russian Federation

Münster, 25.04.2023

## Certificate

Dermatest GmbH confirms hereby that the Cosmetic product

### **SYNERGETIC Biodegradable natural shower gel – Sicilian lemon and vetiver**

was evaluated for skin tolerability by means of epicutaneous testing on 30 subjects with sensitive skin under the control of dermatological specialists and according to international guidelines.

**Study number 2303219183**

No relevant skin reactions were detected in the test area following a single product application.

Therefore, from a clinical-dermatological point of view, the product was tolerated

**„excellently“**

and can be declared as **„dermatologically tested“**.

Based on the study design and the confirmed skin tolerability, the Dermatest® guaranty seal can be assigned for use for the test product.


The seal contains the month and year (04/23) of the testing



**Dr. med. Gerrit Schlippe**  
Medical Specialist in  
Dermatology and Venereology



**dermatest®**  
Dermatest® GmbH • [dermatest.com](http://dermatest.com)  
Nevinghoff 30 • 48147 Münster



**Dr. med. Werner Voss**  
Medical Specialist in Dermatology,  
Venereology, Allergology,  
Phlebology and Environmental Medicine

Sponsor

SYNERGETIC LLC  
306 Office 6/1, Nizhne-Volzhsкая Naberezhnaya  
603001 Nizhny Novgorod  
Russian Federation

Münster, 12.09.2023

## Certificate

Dermatest GmbH confirms hereby that the Cosmetic product

### **SYNERGETIC Biodegradable Natural Shower Gel Juicy Melon and Menthol**

was evaluated for skin tolerability by means of epicutaneous testing on 30 subjects with sensitive skin under the control of dermatological specialists and according to international guidelines.

**Study number 2308213575**

No relevant skin reactions were detected in the test area following a single product application.

Therefore, from a clinical-dermatological point of view, the product was tolerated

**„excellently“**

and can be declared as **„dermatologically tested“**.

Based on the study design and the confirmed skin tolerability, the Dermatest® guaranty seal can be assigned for use for the test product.

The seal contains the month and year (09/23) of the testing



**Dr. med. Werner Voss**

Medical Specialist in Dermatology,  
Venereology, Allergology, Phlebology  
and Environmental Medicine



Dermatest® GmbH • [dermatest.com](http://dermatest.com)  
Nevinghoff 30 • 48147 Münster

Sponsor

SYNERGETIC LLC  
306 Office 6/1, Nizhne-Volzhsкая Naberezhnaya  
603001 Nizhny Novgorod  
Russian Federation

Münster, 12.09.2023

## Certificate

Dermatest GmbH confirms hereby that the Cosmetic product

### **SYNERGETIC Biodegradable Natural Shower Gel Tropical Mango and Passion Fruit**

was evaluated for skin tolerability by means of epicutaneous testing on 30 subjects with sensitive skin under the control of dermatological specialists and according to international guidelines.

**Study number 2308213575**

No relevant skin reactions were detected in the test area following a single product application.

Therefore, from a clinical-dermatological point of view, the product was tolerated

**„excellently“**

and can be declared as **„dermatologically tested“**.

Based on the study design and the confirmed skin tolerability, the Dermatest® guaranty seal can be assigned for use for the test product.

The seal contains the month and year (09/23) of the testing



**Dr. med. Werner Voss**

Medical Specialist in Dermatology,  
Venereology, Allergology, Phlebology  
and Environmental Medicine



Dermatest® GmbH • [dermatest.com](http://dermatest.com)  
Nevinghoff 30 • 48147 Münster

Dermatest® GmbH Engelstr. 37 48143 Münster

Synergetic LLC  
306 Office 6/1, Nizhne-Volzhskaya Naberezhnaya  
603001 Nizhny Novgorod  
Russian federation

Muenster, 02.08.2022

# Certificate

for the Cosmetic product

## SYNERGETIC Natural foam for intimate hygiene

Dermatological test on humans in 2022

Study number: 2206248363


The dermatological test performed by us on your product under the control of dermatological specialists was passed for this product with the rating of

**„excellent“**

This product did not lead to toxic-irritative intolerance reactions in patch testing with sensitive skin carried out in accordance with international guidelines. The preparation can therefore be declared as dermatologically tested.



**Dr. med. Gerrit Schlippe**  
Investigating specialist  
for dermatology, venereology



**Dr. med. Werner Voss**  
Investigating specialist  
for dermatology, allergology,  
venereology, phlebology  
and environmental medicine



Dermatest® GmbH Engelstr. 37 48143 Münster

Synergetic LLC  
306 Office 6/1, Nizhne-Volzhskaya Naberezhnaya  
603001 Nizhny Novgorod  
Russian federation

Muenster, 02.08.2022

# Certificate

for the Cosmetic product

## SYNERGETIC Natural gel for intimate hygiene

Dermatological test on humans in 2022

Study number: 2206248363


The dermatological test performed by us on your product under the control of dermatological specialists was passed for this product with the rating of

**„excellent“**

This product did not lead to toxic-irritative intolerance reactions in patch testing with sensitive skin carried out in accordance with international guidelines. The preparation can therefore be declared as dermatologically tested.



**Dr. med. Gerrit Schlippe**  
Investigating specialist  
for dermatology, venereology



**Dr. med. Werner Voss**  
Investigating specialist  
for dermatology, allergology,  
venereology, phlebology  
and environmental medicine



Sponsor

SYNERGETIC LLC  
306 Office 6/1, Nizhne-Volzhs kaya Naberezhnaya  
603001 Nizhny Novgorod  
Russian Federation

Münster, 26.03.2024

## Certificate

Dermatest GmbH confirms hereby that the Cosmetic product

### **SYNERGETIC Natural foam for intimate hygiene for sensitive skin**

was evaluated for skin tolerability by means of epicutaneous testing on 30 subjects with sensitive skin under the control of dermatological specialists and according to international guidelines.

**Study number 2403068065**

No relevant skin reactions were detected in the test area following a single product application.


Therefore, from a clinical-dermatological point of view, the product was tolerated

**„excellently“**

and can be declared as **„dermatologically tested“**.

Based on the study design and the confirmed skin tolerability, the Dermatest® guaranty seal can be assigned for use for the test product.

The seal contains the month and year (03/24) of the testing



**Dr. med. Werner Voss**

Medical Specialist in Dermatology,  
Venereology, Allergology, Phlebology  
and Environmental Medicine



Dermatest® GmbH • [dermatest.com](http://dermatest.com)  
Nevinghoff 30 • 48147 Münster

Sponsor

SYNERGETIC LLC  
306 Office 6/1, Nizhne-Volzhs kaya Naberezhnaya  
603001 Nizhny Novgorod  
Russian Federation

Münster, 26.03.2024

## Certificate

Dermatest GmbH confirms hereby that the Cosmetic product

### **SYNERGETIC Natural gel for intimate hygiene for sensitive skin**

was evaluated for skin tolerability by means of epicutaneous testing on 30 subjects with sensitive skin under the control of dermatological specialists and according to international guidelines.

**Study number 2403068065**

No relevant skin reactions were detected in the test area following a single product application.


Therefore, from a clinical-dermatological point of view, the product was tolerated

**„excellently“**

and can be declared as **„dermatologically tested“**.

Based on the study design and the confirmed skin tolerability, the Dermatest® guaranty seal can be assigned for use for the test product.

The seal contains the month and year (03/24) of the testing



**Dr. med. Werner Voss**

Medical Specialist in Dermatology,  
Venereology, Allergology, Phlebology  
and Environmental Medicine



Dermatest® GmbH • [dermatest.com](http://dermatest.com)  
Nevinghoff 30 • 48147 Münster

Sponsor

SYNERGETIC LLC  
306 Office 6/1, Nizhne-Volzhszkaya Naberezhnaya  
603001 Nizhny Novgorod  
Russian Federation

Münster, 16.05.2023

## Certificate

Dermatest GmbH confirms hereby that the Cosmetic product

### **SYNERGETIC Hypoallergenic Natural Baby Foam Soap For Hands And Body, Almond Ice Cream**

was evaluated for skin tolerability by means of epicutaneous testing on 30 subjects with sensitive skin under the control of dermatological specialists and according to international guidelines.

**Study number 2304145261**

No relevant skin reactions were detected in the test area following a single product application.

Therefore, from a clinical-dermatological point of view, the product was tolerated

**„excellently“**

and can be declared as **„dermatologically tested“**.

Based on the study design and the confirmed skin tolerability, the Dermatest® guaranty seal can be assigned for use for the test product.


The seal contains the month and year (05/23) of the testing



**Dr. med. Gerrit Schlippe**  
Medical Specialist in  
Dermatology and Venereology



**dermatest®**  
Dermatest® GmbH • [dermatest.com](http://dermatest.com)  
Nevinghoff 30 • 48147 Münster



**Dr. med. Werner Voss**  
Medical Specialist in Dermatology,  
Venereology, Allergology,  
Phlebology and Environmental Medicine

Sponsor

SYNERGETIC LLC  
306 Office 6/1, Nizhne-Volzhs kaya Naberezhnaya  
603001 Nizhny Novgorod  
Russian Federation

Münster, 16.05.2023

## Certificate

Dermatest GmbH confirms hereby that the Cosmetic product

### **SYNERGETIC Hypoallergenic Natural Baby Foam Soap For Hands And Body, Aloe Freshness**

was evaluated for skin tolerability by means of epicutaneous testing on 30 subjects with sensitive skin under the control of dermatological specialists and according to international guidelines.

**Study number 2304145261**

No relevant skin reactions were detected in the test area following a single product application.

Therefore, from a clinical-dermatological point of view, the product was tolerated

**„excellently“**

and can be declared as **„dermatologically tested“**.

Based on the study design and the confirmed skin tolerability, the Dermatest® guaranty seal can be assigned for use for the test product.


The seal contains the month and year (05/23) of the testing



**Dr. med. Gerrit Schlippe**  
Medical Specialist in  
Dermatology and Venereology



**dermatest®**  
Dermatest® GmbH • [dermatest.com](http://dermatest.com)  
Nevinghoff 30 • 48147 Münster



**Dr. med. Werner Voss**  
Medical Specialist in Dermatology,  
Venereology, Allergology,  
Phlebology and Environmental Medicine

Sponsor

SYNERGETIC LLC  
306 Office 6/1, Nizhne-Volzhszkaya Naberezhnaya  
603001 Nizhny Novgorod  
Russian Federation

Münster, 16.05.2023

## Certificate

Dermatest GmbH confirms hereby that the Cosmetic product

### **SYNERGETIC Hypoallergenic Natural Baby Foam Soap For Hands And Body, Berry Mousse**

was evaluated for skin tolerability by means of epicutaneous testing on 30 subjects with sensitive skin under the control of dermatological specialists and according to international guidelines.

**Study number 2304145261**

No relevant skin reactions were detected in the test area following a single product application.

Therefore, from a clinical-dermatological point of view, the product was tolerated

**„excellently“**

and can be declared as **„dermatologically tested“**.

Based on the study design and the confirmed skin tolerability, the Dermatest® guaranty seal can be assigned for use for the test product.


The seal contains the month and year (05/23) of the testing



**Dr. med. Gerrit Schlippe**  
Medical Specialist in  
Dermatology and Venereology



**dermatest®**  
Dermatest® GmbH • [dermatest.com](http://dermatest.com)  
Nevinghoff 30 • 48147 Münster



**Dr. med. Werner Voss**  
Medical Specialist in Dermatology,  
Venereology, Allergology,  
Phlebology and Environmental Medicine

Sponsor

SYNERGETIC LLC  
306 Office 6/1, Nizhne-Volzhs kaya Naberezhnaya  
603001 Nizhny Novgorod  
Russian Federation

Münster, 16.05.2023

## Certificate

Dermatest GmbH confirms hereby that the Cosmetic product

### **SYNERGETIC Hypoallergenic Natural Baby Foam Soap For Hands And Body, Juicy Mango**

was evaluated for skin tolerability by means of epicutaneous testing on 30 subjects with sensitive skin under the control of dermatological specialists and according to international guidelines.

**Study number 2304145261**

No relevant skin reactions were detected in the test area following a single product application.

Therefore, from a clinical-dermatological point of view, the product was tolerated

**„excellently“**

and can be declared as **„dermatologically tested“**.

Based on the study design and the confirmed skin tolerability, the Dermatest® guaranty seal can be assigned for use for the test product.


The seal contains the month and year (05/23) of the testing



**Dr. med. Gerrit Schlippe**  
Medical Specialist in  
Dermatology and Venereology



**dermatest®**  
Dermatest® GmbH • [dermatest.com](http://dermatest.com)  
Nevinghoff 30 • 48147 Münster



**Dr. med. Werner Voss**  
Medical Specialist in Dermatology,  
Venereology, Allergy,  
Phlebology and Environmental Medicine

Sponsor

SYNERGETIC LLC  
306 Office 6/1, Nizhne-Volzhs kaya Naberezhnaya  
603001 Nizhny Novgorod  
Russian Federation

Münster, 16.05.2023

## Certificate

Dermatest GmbH confirms hereby that the Cosmetic product

### **SYNERGETIC Hypoallergenic Natural Baby Foam Soap For Hands And Body, Mint Lime**

was evaluated for skin tolerability by means of epicutaneous testing on 30 subjects with sensitive skin under the control of dermatological specialists and according to international guidelines.

**Study number 2304145261**

No relevant skin reactions were detected in the test area following a single product application.

Therefore, from a clinical-dermatological point of view, the product was tolerated

**„excellently“**

and can be declared as **„dermatologically tested“**.

Based on the study design and the confirmed skin tolerability, the Dermatest® guaranty seal can be assigned for use for the test product.


The seal contains the month and year (05/23) of the testing



**Dr. med. Gerrit Schlippe**  
Medical Specialist in  
Dermatology and Venereology



**dermatest®**  
Dermatest® GmbH • [dermatest.com](http://dermatest.com)  
Nevinghoff 30 • 48147 Münster



**Dr. med. Werner Voss**  
Medical Specialist in Dermatology,  
Venereology, Allergology,  
Phlebology and Environmental Medicine

Sponsor

SYNERGETIC LLC  
306 Office 6/1, Nizhne-Volzhs kaya Naberezhnaya  
603001 Nizhny Novgorod  
Russian Federation

Münster, 16.05.2023

## Certificate

Dermatest GmbH confirms hereby that the Cosmetic product

### **SYNERGETIC Hypoallergenic Natural Baby Foam Soap For Hands And Body, Vanilla Coconut**

was evaluated for skin tolerability by means of epicutaneous testing on 30 subjects with sensitive skin under the control of dermatological specialists and according to international guidelines.

**Study number 2304145261**

No relevant skin reactions were detected in the test area following a single product application.

Therefore, from a clinical-dermatological point of view, the product was tolerated

**„excellently“**

and can be declared as **„dermatologically tested“**.

Based on the study design and the confirmed skin tolerability, the Dermatest® guaranty seal can be assigned for use for the test product.


The seal contains the month and year (05/23) of the testing



**Dr. med. Gerrit Schlippe**  
Medical Specialist in  
Dermatology and Venereology



**dermatest®**  
Dermatest® GmbH • [dermatest.com](http://dermatest.com)  
Nevinghoff 30 • 48147 Münster



**Dr. med. Werner Voss**  
Medical Specialist in Dermatology,  
Venereology, Allergy,  
Phlebology and Environmental Medicine

**Sponsor**

Synergetic LLC  
306 Office 6/1, Nizhne-Volzhszkaya Naberezhnaya  
603001 Nizhny Novgorod  
Russia

Münster, 29.04.2025

# Certificate

Dermatest GmbH confirms hereby that the Cosmetic Product

## **SYNERGETIC Biodegradable Hand and Body Liquid Cream Soap, Aloe Vera**

was evaluated for skin tolerability by means of epicutaneous testing on 30 subjects  
with sensitive skin  
under the control of dermatological specialists and according to international guidelines.

### **Study number ST-ET-2025-00060**

No relevant skin reactions were detected in the test area following  
a single product application.

Therefore, from a clinical-dermatological point of view, the product was tolerated

## **"excellently"**

and can be declared as „**dermatologically tested**“ .

Based on the study design and the confirmed skin tolerability, the Dermatest® guaranty seal can be assigned  
for use for the test product.

The seal contains the month and year (04/25) of the testing.



**Dr. med. Werner Voss**  
Medical Specialist in Dermatology,  
Venereology, Allergology,  
Phlebology and Environmental  
Medicine



Dermatest® GmbH • [dermatest.com](http://dermatest.com)  
Nevinghoff 30 • 48147 Münster

**Sponsor**

Synergetic LLC  
306 Office 6/1, Nizhne-Volzhszkaya Naberezhnaya  
603001 Nizhny Novgorod  
Russia

Münster, 29.04.2025

# Certificate

Dermatest GmbH confirms hereby that the Cosmetic Product

## **SYNERGETIC Biodegradable Hand and Body Liquid Cream Soap, Oat Milk and Cotton**

was evaluated for skin tolerability by means of epicutaneous testing on 30 subjects  
with sensitive skin  
under the control of dermatological specialists and according to international guidelines.

### **Study number ST-ET-2025-00060**

No relevant skin reactions were detected in the test area following  
a single product application.

Therefore, from a clinical-dermatological point of view, the product was tolerated

## **"excellently"**

and can be declared as „**dermatologically tested**“ .

Based on the study design and the confirmed skin tolerability, the Dermatest® guaranty seal can be assigned  
for use for the test product.

The seal contains the month and year (04/25) of the testing.



**Dr. med. Werner Voss**  
Medical Specialist in Dermatology,  
Venereology, Allergology,  
Phlebology and Environmental  
Medicine



Dermatest® GmbH • [dermatest.com](http://dermatest.com)  
Nevinghoff 30 • 48147 Münster

**Sponsor**

Synergetic LLC  
306 Office 6/1, Nizhne-Volzhszkaya Naberezhnaya  
603001 Nizhny Novgorod  
Russia

Münster, 29.04.2025

# Certificate

Dermatest GmbH confirms hereby that the Cosmetic Product

## **SYNERGETIC Biodegradable Hand and Body Liquid Cream Soap, Wild Berries**

was evaluated for skin tolerability by means of epicutaneous testing on 30 subjects  
with sensitive skin  
under the control of dermatological specialists and according to international guidelines.

### **Study number ST-ET-2025-00060**

No relevant skin reactions were detected in the test area following  
a single product application.

Therefore, from a clinical-dermatological point of view, the product was tolerated

## **"excellently"**

and can be declared as „**dermatologically tested**“ .

Based on the study design and the confirmed skin tolerability, the Dermatest® guaranty seal can be assigned  
for use for the test product.

The seal contains the month and year (04/25) of the testing.



**Dr. med. Werner Voss**  
Medical Specialist in Dermatology,  
Venereology, Allergology,  
Phlebology and Environmental  
Medicine



Dermatest® GmbH • [dermatest.com](http://dermatest.com)  
Nevinghoff 30 • 48147 Münster

**Sponsor**

Synergetic LLC  
306 Office 6/1, Nizhne-Volzhszkaya Naberezhnaya  
603001 Nizhny Novgorod  
Russia

Münster, 29.04.2025

# Certificate

Dermatest GmbH confirms hereby that the Cosmetic Product

## **SYNERGETIC Biodegradable Hand and Body Liquid Soap, Basil and Sea Salt**

was evaluated for skin tolerability by means of epicutaneous testing on 30 subjects  
with sensitive skin  
under the control of dermatological specialists and according to international guidelines.

### **Study number ST-ET-2025-00060**

No relevant skin reactions were detected in the test area following  
a single product application.

Therefore, from a clinical-dermatological point of view, the product was tolerated

## **"excellently"**

and can be declared as „**dermatologically tested**“ .

Based on the study design and the confirmed skin tolerability, the Dermatest® guaranty seal can be assigned  
for use for the test product.

The seal contains the month and year (04/25) of the testing.



**Dr. med. Werner Voss**  
Medical Specialist in Dermatology,  
Venereology, Allergology,  
Phlebology and Environmental  
Medicine



Dermatest® GmbH • [dermatest.com](http://dermatest.com)  
Nevinghoff 30 • 48147 Münster

**Sponsor**

Synergetic LLC  
306 Office 6/1, Nizhne-Volzhszkaya Naberezhnaya  
603001 Nizhny Novgorod  
Russia

Münster, 24.02.2026

# Certificate

Dermatest GmbH confirms hereby that the Cosmetic Product

## **SYNERGETIC Natural bar cream-soap, Ocean and Lavender**

was evaluated for skin tolerability by means of epicutaneous testing on 30 subjects with sensitive skin under the control of dermatological specialists and according to international guidelines.

### **Study number ST-ET-2026-00021**

No relevant skin reactions were detected in the test area following a single product application.

Therefore, from a clinical-dermatological point of view, the product was tolerated

## **"excellently"**

and can be declared as „**dermatologically tested**“ .

Based on the study design and the confirmed skin tolerability, the Dermatest® guaranty seal can be assigned for use for the test product.

The seal contains the month and year (02/26) of the testing.



**Dr. med. Werner Voss**  
Medical Specialist in Dermatology,  
Venereology, Allergology,  
Phlebology and Environmental  
Medicine



Dermatest® GmbH • [dermatest.com](http://dermatest.com)  
Nevinghoff 30 • 48147 Münster

**Sponsor**

Synergetic LLC  
306 Office 6/1, Nizhne-Volzhszkaya Naberezhnaya  
603001 Nizhny Novgorod  
Russia

Münster, 24.02.2026

# Certificate

Dermatest GmbH confirms hereby that the Cosmetic Product

## **SYNERGETIC Natural bar cream-soap, Peach and Cream**

was evaluated for skin tolerability by means of epicutaneous testing on 30 subjects with sensitive skin under the control of dermatological specialists and according to international guidelines.

### **Study number ST-ET-2026-00021**

No relevant skin reactions were detected in the test area following a single product application.


Therefore, from a clinical-dermatological point of view, the product was tolerated

## **"excellently"**

and can be declared as „**dermatologically tested**“ .

Based on the study design and the confirmed skin tolerability, the Dermatest® guaranty seal can be assigned for use for the test product.

The seal contains the month and year (02/26) of the testing.



**Dr. med. Werner Voss**  
Medical Specialist in Dermatology,  
Venereology, Allergology,  
Phlebology and Environmental  
Medicine



Dermatest® GmbH • [dermatest.com](http://dermatest.com)  
Nevinghoff 30 • 48147 Münster